
NSCachedURLResponse Class Reference

[Cocoa](#) > [Networking](#)





Apple Inc.
© 2008 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple and the Apple logo are trademarks of Apple Inc., registered in the United States and other countries.

iPhone is a trademark of Apple Inc.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

NSCachedURLResponse Class Reference 5

Overview 5

Tasks 5

 Creating a Cached URL Response 5

 Getting Cached URL Response Properties 5

Instance Methods 6

 data 6

 initWithResponse:data: 6

 initWithResponse:data:userInfo:storagePolicy: 7

 response 7

 storagePolicy 8

 userInfo 8

Constants 9

 NSURLCacheStoragePolicy 9

Document Revision History 11

Index 13

NSCachedURLResponse Class Reference

Inherits from	NSObject
Conforms to	NSCoding NSCopying NSObject (NSObject)
Framework	/System/Library/Frameworks/Foundation.framework
Availability	Available in Mac OS X v10.2 with Safari 1.0 installed. Available in Mac OS X v10.2.7 and later.
Companion guide	URL Loading System
Declared in	NSURLCache.h
Related sample code	URL CacheInfo

Overview

An `NSCachedURLResponse` object encapsulates an `NSURLResponse` object, an `NSData` object containing the content corresponding to the response, and an `NSDictionary` containing application specific information.

The `NSURLCache` system stores and retrieves instances of `NSCachedURLResponse`.

Tasks

Creating a Cached URL Response

- [initWithResponse:data:](#) (page 6)
Initializes an `NSCachedURLResponse` object.
- [initWithResponse:data:userInfo:storagePolicy:](#) (page 7)
Initializes an `NSCachedURLResponse` object.

Getting Cached URL Response Properties

- [data](#) (page 6)
Returns the receiver's cached data.

- [response](#) (page 7)
Returns the `NSURLResponse` object associated with the receiver.
- [storagePolicy](#) (page 8)
Returns the receiver's cache storage policy.
- [userInfo](#) (page 8)
Returns the receiver's user info dictionary.

Instance Methods

data

Returns the receiver's cached data.

```
- (NSData *)data
```

Return Value

The receiver's cached data.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

Related Sample Code

URL CacheInfo

Declared In

NSURLCache.h

initWithResponse:data:

Initializes an `NSCachedURLResponse` object.

```
- (id)initWithResponse:(NSURLResponse *)response data:(NSData *)data
```

Parameters

response

The response to cache.

data

The data to cache.

Return Value

The `NSCachedURLResponse` object, initialized using the given data.

Discussion

The cache storage policy is set to the default, `NSURLCacheStorageAllowed`, and the user info dictionary is set to `nil`.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

See Also

- [initWithResponse:data:userInfo:storagePolicy:](#) (page 7)

Declared In

NSURLCache.h

initWithResponse:data:userInfo:storagePolicy:

Initializes an NSCachedURLResponse object.

```
- (id)initWithResponse:(NSURLResponse *)response data:(NSData *)data
    userInfo:(NSDictionary *)userInfo
    storagePolicy:(NSURLCacheStoragePolicy)storagePolicy
```

Parameters

response

The response to cache.

data

The data to cache.

userInfo

An optional dictionary of user information. May be nil.

storagePolicy

The storage policy for the cached response.

Return Value

The NSCachedURLResponse object, initialized using the given data.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

See Also

- [initWithResponse:data:](#) (page 6)

Related Sample Code

URL CacheInfo

Declared In

NSURLCache.h

response

Returns the NSURLResponse object associated with the receiver.

```
- (NSURLResponse *)response
```

Return Value

The NSURLResponse object associated with the receiver.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

Related Sample Code

URL CacheInfo

Declared In

NSURLCache.h

storagePolicy

Returns the receiver's cache storage policy.

- (NSURLCacheStoragePolicy)storagePolicy

Return Value

The receiver's cache storage policy.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

Related Sample Code

URL CacheInfo

Declared In

NSURLCache.h

userInfo

Returns the receiver's user info dictionary.

- (NSDictionary *)userInfo

Return Value

An NSDictionary object containing the receiver's user info, or nil if there is no such object.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

Declared In

NSURLCache.h

Constants

NSURLCacheStoragePolicy

These constants specify the caching strategy used by an `NSCachedURLResponse` object.

```
typedef enum
{
    NSURLCacheStorageAllowed,
    NSURLCacheStorageAllowedInMemoryOnly,
    NSURLCacheStorageNotAllowed,
} NSURLCacheStoragePolicy;
```

Constants

`NSURLCacheStorageAllowed`

Specifies that storage in `NSURLCache` is allowed without restriction.

Important: iPhone OS ignores this cache policy, and instead treats it as `NSURLCacheStorageAllowedInMemoryOnly`.

Available in Mac OS X v10.2 and later.

Declared in `NSURLCache.h`.

`NSURLCacheStorageAllowedInMemoryOnly`

Specifies that storage in `NSURLCache` is allowed; however storage should be restricted to memory only.

Available in Mac OS X v10.2 and later.

Declared in `NSURLCache.h`.

`NSURLCacheStorageNotAllowed`

Specifies that storage in `NSURLCache` is not allowed in any fashion, either in memory or on disk.

Available in Mac OS X v10.2 and later.

Declared in `NSURLCache.h`.

Availability

Available in Mac OS X v10.2 with Safari 1.0 installed.

Available in Mac OS X v10.2.7 and later.

Declared In

`NSURLCache.h`

Document Revision History

This table describes the changes to *NSCachedURLResponse Class Reference*.

Date	Notes
2008-05-02	Added note that NSURLCacheStorageAllowed has no effect on iPhone OS.
2006-06-28	Updated the Constants section to conform to reference consistency guidelines.
2006-05-23	First publication of this content as a separate document.

REVISION HISTORY

Document Revision History

Index

D

data [instance method 6](#)

I

initWithResponse:data: [instance method 6](#)
initWithResponse:data:userInfo:storagePolicy:
[instance method 7](#)

N

NSURLCacheStorageAllowed [constant 9](#)
NSURLCacheStorageAllowedInMemoryOnly [constant 9](#)
NSURLCacheStorageNotAllowed [constant 9](#)
NSURLCacheStoragePolicy [data type 9](#)

R

response [instance method 7](#)

S

storagePolicy [instance method 8](#)

U

userInfo [instance method 8](#)