
NSCloseCommand Class Reference

[Cocoa](#) > [Scripting & Automation](#)



2006-06-28



Apple Inc.
© 2006 Apple Computer, Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Cocoa, Mac, and Mac OS are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

NSCloseCommand Class Reference 5

- Overview 5
- Tasks 5
 - Accessing Save Options 5
- Instance Methods 6
 - saveOptions 6
- Constants 6
 - NSSaveOptions 6

Document Revision History 9

Index 11

NSCloseCommand Class Reference

Inherits from	NSScriptCommand : NSObject
Conforms to	NSCoding (NSScriptCommand) NSObject (NSObject)
Framework	/System/Library/Frameworks/Foundation.framework
Availability	Available in Mac OS X v10.0 and later.
Companion guide	Cocoa Scripting Guide
Declared in	NSScriptStandardSuiteCommands.h
Related sample code	Quartz Composer WWDC 2005 TextEdit TextEditPlus

Overview

An instance of `NSCloseCommand` closes the specified scriptable object or objects—typically a document or window (and its associated document, if any). The command may optionally specify a location to save in and how to handle modified documents (by automatically saving changes, not saving them, or asking the user).

`NSCloseCommand` is part of Cocoa's built-in scripting support. It works automatically to support the `close` command through key-value coding. Most applications don't need to subclass `NSCloseCommand` or call its methods.

Tasks

Accessing Save Options

- [saveOptions](#) (page 6)

Returns a constant indicating how to deal with closing any modified documents.

Instance Methods

saveOptions

Returns a constant indicating how to deal with closing any modified documents.

```
- (NSSaveOptions)saveOptions
```

Return Value

A constant indicating how to deal with closing any modified documents. The default value returned is `NSSaveOptionsAsk`. See “Constants” (page 6) for a list of possible return values.

Availability

Available in Mac OS X v10.0 and later.

Related Sample Code

Quartz Composer WWDC 2005 TextEdit
TextEditPlus

Declared In

`NSScriptStandardSuiteCommands.h`

Constants

NSSaveOptions

The `saveOptions` (page 6) method returns one of the following constants to indicate how to deal with saving any modified documents:

```
typedef enum {
    NSSaveOptionsYes = 0,
    NSSaveOptionsNo,
    NSSaveOptionsAsk
} NSSaveOptions;
```

Constants

`NSSaveOptionsYes`

Indicates a modified document should be saved on closing without asking the user.

Available in Mac OS X v10.0 and later.

Declared in `NSScriptStandardSuiteCommands.h`.

`NSSaveOptionsNo`

Indicates a modified document should not be saved on closing.

Available in Mac OS X v10.0 and later.

Declared in `NSScriptStandardSuiteCommands.h`.

`NSSaveOptionsAsk`

Indicates the user should be asked before saving any modified documents on closing. When no option is specified, this is the default.

Available in Mac OS X v10.0 and later.

Declared in `NSScriptStandardSuiteCommands.h`.

Availability

Available in Mac OS X v10.0 and later.

Declared In

`NSScriptStandardSuiteCommands.h`

Document Revision History

This table describes the changes to *NSCloseCommand Class Reference*.

Date	Notes
2006-06-28	Updated the Constants section to conform to reference consistency guidelines.
2006-05-23	First publication of this content as a separate document.

REVISION HISTORY

Document Revision History

Index

N

`NSSaveOptions` **data type** [6](#)
`NSSaveOptionsAsk` **constant** [7](#)
`NSSaveOptionsNo` **constant** [6](#)
`NSSaveOptionsYes` **constant** [6](#)

S

`saveOptions` **instance method** [6](#)