

---

# WebJavaPlugin Protocol Reference

[Cocoa > User Experience](#)



2009-04-08



Apple Inc.  
© 2009 Apple Inc.  
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.  
1 Infinite Loop  
Cupertino, CA 95014  
408-996-1010

Apple, the Apple logo, Cocoa, Mac, Mac OS, and Objective-C are trademarks of Apple Inc., registered in the United States and other countries.

Java and all Java-based trademarks are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

Simultaneously published in the United States and Canada.

**Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS**

**PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.**

**IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.**

**THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.**

**Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.**

# Contents

---

## **WebJavaPlugIn Protocol Reference 5**

---

Overview 5

Tasks 5

    Getting and Setting Java Applets 5

Instance Methods 5

    webPlugInCallJava:isStatic:returnType:method:arguments:callingURL: exceptionDescription:  
    5

    webPlugInGetApplet 6

---

## **Document Revision History 9**

---

**Index 11**

---



# WebJavaPlugIn Protocol Reference

(informal protocol)

---

<b>Framework</b>	/System/Library/Frameworks/WebKit.framework
<b>Availability</b>	Available in Mac OS X v10.3.9 and later.
<b>Companion guide</b>	WebKit Objective-C Programming Guide
<b>Declared in</b>	WebJavaPlugIn.h

## Overview

The WebJavaPlugIn protocol provides methods to facilitate JNI access to the Java virtual machine via the plug-in.

## Tasks

### Getting and Setting Java Applets

- [webPlugInCallJava:isStatic:returnType:method:arguments:callingURL:exceptionDescription:](#) (page 5)  
Sends a message directly to a Java object in a plug-in.
- [webPlugInGetApplet](#) (page 6)  
Returns a  `jobject`  that represents a Java applet in a  `WebPlugInContainer` .

## Instance Methods

### **webPlugInCallJava:isStatic:returnType:method:arguments:callingURL:exceptionDescription:**

Sends a message directly to a Java object in a plug-in.

-  
`(jvalue)webPlugInCallJava:(jobject)objectisStatic:(BOOL)isStaticreturnType:(WebJNIReturnType)returnTypemethod:(jmethodID)methodarguments:(jvalue *)argscallingURL:(NSURL *)urlexceptionDescription:(NSString **)exceptionString`

**Parameters***object*

The Java instance receiving the message.

*isStatic*If YES, *method* is expected to be a class method.*returnType*

The return type of the Java method.

*method*

The Java method being called.

*args*The arguments for the method specified by *method*.*url*

The URL for the page that contains the JavaScript that is interacting with Java.

*exceptionString*A string for describing any exceptions thrown by Java. Pass `nil` if you do not want an exception description.**Return Value**

The return value of the Java method.

**Discussion**

This method is preferred over using JNI to send messages to Java applets, and is required to guarantee the correct thread will receive the message. Always invoke this method from within the main thread.

**Availability**

Available in Mac OS X v10.3.9 and later.

**See Also**- [webPlugInGetApplet](#) (page 6)**Declared In**

WebJavaPlugIn.h

## webPlugInGetApplet

Returns a `jobject` that represents a Java applet in a `WebPlugInContainer`.- (`jobject`)`webPlugInGetApplet`**Return Value**A `jobject` that represents the applet.**Discussion**

Always invoke this method from within the main thread.

**Availability**

Available in Mac OS X v10.3.9 and later.

**See Also**- [webPlugInCallJava:isStatic:returnType:method:arguments:callingURL:exceptionDescription:](#) (page 5)

**Declared In**

WebJavaPlugIn.h





# Document Revision History

---

This table describes the changes to *WebJavaPlugin Protocol Reference*.

Date	Notes
2009-04-08	Added separate parameter and return-value descriptions.
2006-05-23	First publication of this content as a separate document.

**REVISION HISTORY**

Document Revision History

# Index

---

## W

---

webPluginCallJava:isStatic:returnType:method:  
arguments:callingURL:exceptionDescription:  
**protocol instance method 5**

webPluginGetApplet **protocol instance method 6**