
PDFActionGoTo Class Reference

[Graphics & Imaging](#) > [Cocoa](#)



2007-12-11



Apple Inc.
© 2007 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Cocoa, Mac, Mac OS, and Quartz are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

PDFActionGoTo Class Reference 5

Overview 5

Tasks 5

 Accessing the Destination 5

 Initializing the Action 5

Instance Methods 6

 destination 6

 initWithDestination 6

 setDestination 6

Document Revision History 7

Index 9

PDFActionGoTo Class Reference

Inherits from	PDFAction : NSObject
Conforms to	NSCopying NSObject (NSObject)
Framework	Library/Frameworks/Quartz.framework/Frameworks/PDFKit.framework
Availability	Available in Mac OS X v10.5 and later.
Declared in	PDFActionGoTo.h

Overview

`PDFActionGoTo`, a subclass of `PDFAction`, defines methods for getting and setting the destination of a go-to action.

A `PDFActionGoTo` object represents the action of going to a specific location within the PDF document.

Tasks

Accessing the Destination

- [destination](#) (page 6)
Returns the destination associated with the action.
- [setDestination](#) (page 6)
Sets the destination of the go-to action.

Initializing the Action

- [initWithDestination](#) (page 6)
Initializes the go-to action.

Instance Methods

destination

Returns the destination associated with the action.

```
- (PDFDestination *)destination
```

Return Value

The destination specified by the go-to action.

Availability

Available in Mac OS X v10.5 and later.

See Also

- [setDestination](#) (page 6)

Declared In

PDFActionGoTo.h

initWithDestination

Initializes the go-to action.

```
- (id)initWithDestination:(PDFDestination *) destination;
```

Parameters

destination

The destination with which to initialize the go-to action.

Return Value

An initialized PDFActionGoTo instance, or NULL if the object could not be initialized.

Availability

Available in Mac OS X v10.5 and later.

setDestination

Sets the destination of the go-to action.

```
- (void)setDestination:(PDFDestination *)destination
```

Parameters

destination

The destination of the go-to action.

Availability

Available in Mac OS X v10.5 and later.

See Also

- [destination](#) (page 6)

Document Revision History

This table describes the changes to *PDFActionGoTo Class Reference*.

Date	Notes
2007-12-11	Made minor corrections.
2007-10-31	New document that describes the class used to represent a go-to action in a PDF document.

REVISION HISTORY

Document Revision History

Index

D

`destination` [instance method 6](#)

I

`initWithDestination` [instance method 6](#)

S

`setDestination` [instance method 6](#)