
PDFActionURL Class Reference

[Graphics & Imaging](#) > [Cocoa](#)



2007-12-11



Apple Inc.
© 2007 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Cocoa, Mac, Mac OS, and Quartz are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

PDFActionURL Class Reference 5

Overview 5

Tasks 5

 Initializing a URL Action 5

 Accessing and Changing the URL 5

Instance Methods 6

 initWithURL: 6

 setURL: 6

 URL 6

Document Revision History 9

Index 11

PDFActionURL Class Reference

Inherits from	PDFAction : NSObject
Conforms to	NSCopying NSObject (NSObject)
Framework	Library/Frameworks/Quartz.framework/Frameworks/PDFKit.framework
Availability	Available in Mac OS X v10.5 and later.
Declared in	PDFActionURL.h

Overview

`PDFActionURL`, a subclass of `PDFAction`, defines methods for getting and setting the URL associated with a URL action.

Tasks

Initializing a URL Action

- [initWithURL:](#) (page 6)
Initializes a URL action with the specified URL.

Accessing and Changing the URL

- [URL](#) (page 6)
Returns the URL associated with the URL action.
- [setURL:](#) (page 6)
Sets the URL associated with the URL action.

Instance Methods

initWithURL:

Initializes a URL action with the specified URL.

```
- (id)initWithURL:(NSURL *)url
```

Parameters

url

The URL to set the action to.

Return Value

An initialized `PDFActionURL` instance, or `NULL` if the object could not be initialized.

Availability

Available in Mac OS X v10.5 and later.

Declared In

`PDFActionURL.h`

setURL:

Sets the URL associated with the URL action.

```
- (void)setURL:(NSURL *)url
```

Parameters

url

The URL to set the action to.

Availability

Available in Mac OS X v10.5 and later.

See Also

- [URL](#) (page \$@)

Declared In

`PDFActionURL.h`

URL

Returns the URL associated with the URL action.

```
- (NSURL *)URL
```

Return Value

The URL associated with the action, or `NULL` if no URL is specified.

Availability

Available in Mac OS X v10.5 and later.

See Also

- [setURL:](#) (page \$@)

Declared In

PDFActionURL.h

Document Revision History

This table describes the changes to *PDFActionURL Class Reference*.

Date	Notes
2007-12-11	Made minor corrections.
2007-10-31	New document that describes the class used to get and set the URL associated with a URL action.

REVISION HISTORY

Document Revision History

Index

I

`initWithURL:` instance method [6](#)

S

`setURL:` instance method [6](#)

U

`URL` instance method [6](#)