
Core Audio Data Types Reference

[Audio](#) > [Core Audio](#)



2008-11-19



Apple Inc.
© 2008 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, Mac, and Mac OS are trademarks of Apple Inc., registered in the United States and other countries.

iPhone is a trademark of Apple Inc.

SRS and the SRS Symbol are registered trademarks of SRS Labs, Inc.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE

ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

Core Audio Data Types Reference 5

Overview	5
Functions by Task	5
Testing for Native Endian Linear PCM Data	5
Getting the Number of Channels From a Layout Tag	5
Helper Functions for Filling out Core Audio Data Structures	5
Functions	6
AudioChannelLayoutTag_GetNumberOfChannels	6
CalculateLPCMFlags	6
FillOutASBDForLPCM	7
FillOutAudioTimeStampWithHostTime	9
FillOutAudioTimeStampWithSampleAndHostTime	9
FillOutAudioTimeStampWithSampleTime	10
IsAudioFormatNativeEndian	11
TestAudioFormatNativeEndian	11
Data Types	12
AudioBuffer	12
AudioBufferList	12
AudioChannelDescription	13
AudioChannelLabel	13
AudioChannelLayout	13
AudioChannelLayoutTag	14
AudioClassDescription	14
AudioSampleType	15
AudioStreamBasicDescription	15
AudioStreamPacketDescription	17
AudioTimeStamp	18
AudioValueRange	19
AudioValueTranslation	19
SMPTETime	19
Constants	21
AudioStreamBasicDescription Constant	21
Audio Data Format Identifiers	21
AudioStreamBasicDescription Flags	25
AudioStreamBasicDescription Flag Combinations Constants	28
MPEG-4 Audio Object Type Constants	29
SMPTE Time Type Constants	31
SMPTE State Flags	32
Audio Time Stamp Flags	32
Audio Time Stamp Flag Combination Constant	33
Audio Channel Label Constants	34

Channel Bitmap Constants 42
Channel Coordinate Flags 44
Channel Coordinate Index Constants 45
Audio Channel Layout Tags 46

Document Revision History 61

Index 63

Core Audio Data Types Reference

Framework:	CoreAudio/CoreAudio.h
Declared in	CoreAudioTypes.h

Overview

This document lists and describes data types and constants used throughout Core Audio. This document also describes a handful of convenience functions for working with these types and constants.

Functions by Task

Testing for Native Endian Linear PCM Data

[TestAudioFormatNativeEndian](#) (page 11)

A macro for checking if an `AudioFormatBasicDescription` structure indicates native endian linear PCM data.

[IsAudioFormatNativeEndian](#) (page 11)

A C++ inline function for checking if an `AudioFormatBasicDescription` structure indicates native-endian linear PCM data.

Getting the Number of Channels From a Layout Tag

[AudioChannelLayoutTag_GetNumberOfChannels](#) (page 6)

A macro to get the number of channels from an audio channel layout tag (`AudioChannelLayoutTag` data type).

Helper Functions for Filling out Core Audio Data Structures

[CalculateLPCMFlags](#) (page 6)

A C++ inline function for calculating the value for the audio stream basic description `mFormatFlags` field for linear PCM data.

[FillOutASBDForLPCM](#) (page 7)

A C++ inline function for filling out an `AudioStreamBasicDescription` to describe linear PCM data.

[FillOutAudioTimeStampWithHostTime](#) (page 9)

A C++ inline function for filling out an `AudioTimeStamp` structure with a host time.

[FillOutAudioTimeStampWithSampleTime](#) (page 10)

A C++ inline function for filling out an `AudioTimeStamp` structure with a sample time.

[FillOutAudioTimeStampWithSampleAndHostTime](#) (page 9)

A C++ inline function for filling out an `AudioTimeStamp` structure with a sample time and a host time.

Functions

AudioChannelLayoutTag_GetNumberOfChannels

A macro to get the number of channels from an audio channel layout tag (`AudioChannelLayoutTag` data type).

```
#define AudioChannelLayoutTag_GetNumberOfChannels(layoutTag) ((UInt32)((layoutTag) & 0x0000FFFF))
```

Parameters

layoutTag

The audio channel layout tag to examine.

Return Value

The number of channels the tag indicates.

Discussion

The low 16 bits of an audio channel layout tag gives the number of channels, unless the layout tag is `kAudioChannelLayoutTag_UseChannelDescriptions` or `kAudioChannelLayoutTag_UseChannelBitmap`, which specify other ways of defining the layout.

Availability

Available in Mac OS X v10.2 and later.

Related Sample Code

QTAudioExtractionPanel

Declared In

CoreAudioTypes.h

CalculateLPCMFlags

A C++ inline function for calculating the value for the audio stream basic description `mFormatFlags` field for linear PCM data.

```

#if defined(__cplusplus)
inline UInt32 CalculateLPCMFlags (
    UInt32 inValidBitsPerChannel,
    UInt32 inTotalBitsPerChannel,
    bool inIsFloat,
    bool inIsBigEndian,
    bool inIsNonInterleaved = false
) {
    return (inIsFloat ? kAudioFormatFlagIsFloat : kAudioFormatFlagIsSignedInteger)
        |
        (inIsBigEndian ? ((UInt32)kAudioFormatFlagIsBigEndian) : 0) |
        ((!inIsFloat && (inValidBitsPerChannel == inTotalBitsPerChannel)) ?
            kAudioFormatFlagIsPacked :
            kAudioFormatFlagIsAlignedHigh) |
        (inIsNonInterleaved ? ((UInt32)kAudioFormatFlagIsNonInterleaved) :
0);
}
#endif

```

Parameters*inValidBitsPerChannel*

The number of valid bits in each sample.

inTotalBitsPerChannel

The total number of bits in each sample.

*inIsFloat*Use `true` if the samples are represented with floating point numbers.*inIsBigEndian*Use `true` if the samples are big endian.*inIsNonInterleaved*Use `true` if the samples are noninterleaved.**Return Value**A `UInt32` value containing the calculated format flags.**Discussion**

This function does not support specifying sample formats that are either unsigned integer or low-aligned.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

FillOutASBDForLPCMA C++ inline function for filling out an `AudioStreamBasicDescription` to describe linear PCM data.

```

#if defined(__cplusplus)
inline void FillOutASBDForLPCM (
    AudioStreamBasicDescription &outASBD,
    Float64 inSampleRate,
    UInt32 inChannelsPerFrame,
    UInt32 inValidBitsPerChannel,
    UInt32 inTotalBitsPerChannel,
    bool inIsFloat,
    bool inIsBigEndian,
    bool inIsNonInterleaved = false
) {
    outASBD.mSampleRate = inSampleRate;
    outASBD.mFormatID = kAudioFormatLinearPCM;
    outASBD.mFormatFlags = CalculateLPCMFlags (
        inValidBitsPerChannel,
        inTotalBitsPerChannel,
        inIsFloat,
        inIsBigEndian,
        inIsNonInterleaved
    );
    outASBD.mBytesPerPacket = inChannelsPerFrame * (inTotalBitsPerChannel / 8);
    outASBD.mFramesPerPacket = 1;
    outASBD.mBytesPerFrame = inChannelsPerFrame * (inTotalBitsPerChannel / 8);
    outASBD.mChannelsPerFrame = inChannelsPerFrame;
    outASBD.mBitsPerChannel = inValidBitsPerChannel;
}
#endif

```

Parameters*outASBD***On output, a filled-out `AudioStreamBasicDescription` structure.***inSampleRate***The number of sample frames per second of the data in the stream.***inChannelsPerFrame***The number of channels in each frame of data.***inValidBitsPerChannel***The number of valid bits in each sample.***inTotalBitsPerChannel***The total number of bits in each sample.***inIsFloat***Use `true` if the samples are represented as floating-point numbers.***inIsBigEndian***Use `true` if the samples are big endian.***inIsNonInterleaved***Use `true` if the samples are noninterleaved.****Discussion**

This function does not support specifying sample formats that are either unsigned integer or low-aligned.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

FillOutAudioTimeStampWithHostTime

A C++ inline function for filling out an `AudioTimeStamp` structure with a host time.

```
#if defined(__cplusplus)
inline void FillOutAudioTimeStampWithHostTime (
    AudioTimeStamp &outATS,
    UInt64 inHostTime
) {
    outATS.mSampleTime = 0;
    outATS.mHostTime = inHostTime;
    outATS.mRateScalar = 0;
    outATS.mWordClockTime = 0;
    memset (&outATS.mSMPTETime, 0, sizeof (SMPTETime));
    outATS.mFlags = kAudioTimeStampHostTimeValid;
}
#endif
```

Parameters*outATS*

On output, a filled-out `AudioTimeStamp` structure.

inHostTime

The host time to assign to the audio timestamp.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

FillOutAudioTimeStampWithSampleAndHostTime

A C++ inline function for filling out an `AudioTimeStamp` structure with a sample time and a host time.

```

#if defined(__cplusplus)
inline void FillOutAudioTimeStampWithSampleAndHostTime (
    AudioTimeStamp &outATS,
    Float64 inSampleTime,
    UInt64 inHostTime
) {
    outATS.mSampleTime = inSampleTime;
    outATS.mHostTime = inHostTime;
    outATS.mRateScalar = 0;
    outATS.mWordClockTime = 0;
    memset (&outATS.mSMPTETime, 0, sizeof (SMPTETime));
    outATS.mFlags = kAudioTimeStampSampleTimeValid | kAudioTimeStampHostTimeValid;
}
#endif

```

Parameters*outATS*On output, a filled-out `AudioTimeStamp` structure.*inSampleTime*

The sample time to assign to the audio timestamp.

inHostTime

The host time to assign to the audio timestamp.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

FillOutAudioTimeStampWithSampleTimeA C++ inline function for filling out an `AudioTimeStamp` structure with a sample time.

```

#if defined(__cplusplus)
inline void FillOutAudioTimeStampWithSampleTime (
    AudioTimeStamp &outATS,
    Float64 inSampleTime
) {
    outATS.mSampleTime = inSampleTime;
    outATS.mHostTime = 0;
    outATS.mRateScalar = 0;
    outATS.mWordClockTime = 0;
    memset (&outATS.mSMPTETime, 0, sizeof (SMPTETime));
    outATS.mFlags = kAudioTimeStampSampleTimeValid;
}
#endif

```

Parameters*outATS*On output, a filled-out `AudioTimeStamp` structure.*inSampleTime*

The sample time to assign to the audio timestamp.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

IsAudioFormatNativeEndian

A C++ inline function for checking if an `AudioFormatBasicDescription` structure indicates native-endian linear PCM data.

```
#if defined(__cplusplus)
inline bool IsAudioFormatNativeEndian (
    const AudioStreamBasicDescription &f
) {
    return (f.mFormatID == kAudioFormatLinearPCM) &&
        ((f.mFormatFlags & kAudioFormatFlagIsBigEndian) ==
kAudioFormatFlagsNativeEndian);
}
#endif
```

Parameters*f*

The `AudioFormatBasicDescription` structure you want to examine.

Return Value

A Boolean value indicating whether the `AudioFormatBasicDescription` structure specifies native endian linear PCM data, true if the data is linear PCM and is native endian.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

TestAudioFormatNativeEndian

A macro for checking if an `AudioFormatBasicDescription` structure indicates native endian linear PCM data.

```
#define TestAudioFormatNativeEndian (f) (
    (f.mFormatID == kAudioFormatLinearPCM) &&
    ((f.mFormatFlags & kAudioFormatFlagIsBigEndian) ==
kAudioFormatFlagsNativeEndian)
)
```

Parameters*f*

The `AudioFormatBasicDescription` structure you want to examine.

Return Value

True if the data is linear PCM and is native endian.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

Data Types

AudioBuffer

Holds a buffer of audio data.

```
struct AudioBuffer {
    UInt32  mNumberChannels;
    UInt32  mDataByteSize;
    void*   mData;
};
typedef struct AudioBuffer AudioBuffer;
```

Fields

mNumberChannels

The number of interleaved channels in the buffer.

mDataByteSize

The number of bytes in the buffer pointed at by mData.

mData

A pointer to the buffer of audio data.

Availability

Available in Mac OS X v10.0 and later.

Declared In

CoreAudioTypes.h

AudioBufferList

Holds a variable length array of AudioBuffer structures.

```
struct AudioBufferList {
    UInt32      mNumberBuffers;
    AudioBuffer mBuffers[1];
};
typedef struct AudioBufferList AudioBufferList;
```

Fields

mNumberBuffers

The number of AudioBuffer structures in the mBuffers array.

mBuffers

A variable length array of AudioBuffer structures.

Availability

Available in Mac OS X v10.0 and later.

Declared In

CoreAudioTypes.h

AudioChannelDescription

Describes a single channel of audio data.

```

struct AudioChannelDescription {
    AudioChannelLabel    mChannelLabel;
    UInt32               mChannelFlags;
    Float32              mCoordinates[3];
};
typedef struct AudioChannelDescription AudioChannelDescription;

```

Fields

mChannelLabel

The `AudioChannelLabel` structure that describes the channel.

mChannelFlags

Flags that control the interpretation of `mCoordinates`. See “[Channel Coordinate Flags](#)” (page 44) for possible values.

mCoordinates

An ordered triple that specifies a precise speaker location. See “[Channel Coordinate Index Constants](#)” (page 45) for the interpretation of the items in the array.

Availability

Available in Mac OS X v10.2 and later.

Declared In

`CoreAudioTypes.h`

AudioChannelLabel

Identifies how an audio data channel is to be used.

```

typedef UInt32 AudioChannelLabel;

```

Discussion

This data type is used for the `mChannelLabel` field of the `AudioChannelDescription` (page 13) structure. See “[Audio Channel Label Constants](#)” (page 34) for possible values.

Availability

Available in Mac OS X v10.2 and later.

Declared In

`CoreAudioTypes.h`

AudioChannelLayout

Specifies a channel layout in a file or in hardware.

```

struct AudioChannelLayout {
    AudioChannelLayoutTag    mChannelLayoutTag;
    UInt32                   mChannelBitmap;
    UInt32                   mNumberChannelDescriptions;
    AudioChannelDescription  mChannelDescriptions[1];
};
typedef struct AudioChannelLayout AudioChannelLayout;

```

Fields

mChannelLayoutTag

The `AudioChannelLayoutTag` value that indicates the layout. See “[Audio Channel Layout Tags](#)” (page 46) for possible values.

mChannelBitmap

If `mChannelLayoutTag` is set to `kAudioChannelLayoutTag_UseChannelBitmap`, this field is the channel use bitmap.

mNumberChannelDescriptions

The number of items in the `mChannelDescriptions` array.

mChannelDescriptions

A variable length array of `mNumberChannelDescription` elements that describes a layout. If the `mChannelLayoutTag` field is set to `kAudioChannelLayoutTag_UseChannelDescriptions`, use this field to describe the layout.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

AudioChannelLayoutTag

Identifies a previously-defined channel layout.

```
typedef UInt32 AudioChannelLayoutTag;
```

Discussion

This data type is used for the `mChannelLayoutTag` field of the `AudioChannelLayout` (page 13) structure. See “[Audio Channel Layout Tags](#)” (page 46) for possible values.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

AudioClassDescription

Describes an installed codec.

```
struct AudioClassDescription {
    OSType  mType;
    OSType  mSubType;
    OSType  mManufacturer;
};
typedef struct AudioClassDescription AudioClassDescription;
```

Fields

mType

The four character code for the codec type. Defined by the codec manufacturer.

mSubType

The four character code for the codec subtype. Defined by the codec manufacturer.

mManufacturer

The four character code for the codec manufacturer. This must be a unique code registered with Apple.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

AudioSampleType

The canonical audio data sample type for input and output.

```
typedef SInt16 AudioSampleType;
```

Discussion

The canonical audio sample type for input and output in iPhone OS is linear PCM with 16-bit integer samples.

Availability

Available in Mac OS X v10.5 and later.

Declared In

CoreAudioTypes.h

AudioStreamBasicDescription

A format description for a stream of audio data.

```

struct AudioStreamBasicDescription {
    Float64 mSampleRate;
    UInt32 mFormatID;
    UInt32 mFormatFlags;
    UInt32 mBytesPerPacket;
    UInt32 mFramesPerPacket;
    UInt32 mBytesPerFrame;
    UInt32 mChannelsPerFrame;
    UInt32 mBitsPerChannel;
    UInt32 mReserved;
};
typedef struct AudioStreamBasicDescription AudioStreamBasicDescription;

```

Fields**mSampleRate**

The number of sample frames per second of the data in the stream. For compressed formats, this field indicates the number of sample frames per second of decompressed data. You can combine this value with the frames per packet to determine the amount of time represented by a packet. This value must be nonzero, except when this structure is used in a listing of supported formats (see [“AudioStreamBasicDescription Constant”](#) (page 21)).

mFormatID

A four character code indicating the general kind of data in the stream. See [“Audio Data Format Identifiers”](#) (page 21). This value must be nonzero.

mFormatFlags

Flags specific to each format, if any. May be set to 0 to indicate no format flags. See [“Audio Data Format Identifiers”](#) (page 21) for the types of flags used with each data type.

mBytesPerPacket

The number of bytes in a packet of data. For formats with a variable packet size, this field is set to 0. In that case, the size of each packet is specified by an [AudioStreamPacketDescription](#) (page 17) structure.

mFramesPerPacket

The number of sample frames in each packet of data. For compressed formats, this field indicates the number of frames encoded in each packet. For formats with a variable number of frames per packet, this field is set to 0 and the packet is described by an [AudioStreamPacketDescription](#) (page 17) structure.

mBytesPerFrame

The number of bytes in a single sample frame of data. This field is set to 0 if the data format (for instance any compressed format) does not contain separate samples for each channel.

mChannelsPerFrame

The number of channels in each frame of data. This value must be nonzero.

mBitsPerChannel

The number of bits of sample data for each channel in a frame of data. This field is set to 0 if the data format (for instance any compressed format) does not contain separate samples for each channel.

mReserved

Pads the structure out to force an even 8-byte alignment.

Discussion

This structure is sufficient to describe any constant bit rate format that has channels that are the same size. For variable bit rate data and for constant bit rate data where the channels have unequal sizes, each packet must additionally be described by an [AudioStreamPacketDescription](#) (page 17) structure. In all fields, a value of 0 indicates that the field is either unknown, not applicable, or otherwise is inappropriate for the format and should be ignored.

For the purposes of this data structure, the following definitions apply:

A **sample** is one data value (that is, one number) for one channel of digitized audio data.

A **frame** is a set of samples that includes one sample for each channel. The samples in a frame are intended to be played together (that is, simultaneously). (Note that this definition might be different from the use of the term *frame* by codecs, video files, and audio or video processing applications.) In non-interleaved audio, the per-frame fields in the structure apply to one channel. In interleaved audio, the per-frame fields apply to the set of n channels.

A **packet** is the smallest, indivisible block of data. In uncompressed audio, each packet contains exactly one frame. In compressed audio, the number of frames in a packet depends on the encoding. For example, an AAC packet contains 1024 sample frames. In some formats, the number of frames per packet varies.

The **sample rate** is the number of complete frames of samples per second of noncompressed or decompressed data.

Typically, the fields of an `AudioStreamBasicDescription` structure describe the complete layout of the sample data in data buffers represented by `AudioBuffer` structures that are contained in an `AudioBufferList` structure.

When an `AudioStreamBasicDescription` structure has the `kAudioFormatFlagIsNonInterleaved` flag set, however, the `AudioBufferList` structure is used in a different way. In this case, each `AudioBuffer` structure in the list contains a single (mono) channel of audio data and the `AudioStreamBasicDescription` structure fields describe the format of one `AudioBuffer` structure. The exception to this rule is the `AudioStreamBasicDescription` structure's `mChannelsPerFrame` field, which indicates the total number of `AudioBuffer` structures that are contained in the `AudioBufferList`. This data format is used primarily by audio units and audio converters. It is not used by audio hardware.

Availability

Available in Mac OS X v10.0 and later.

Declared In

`CoreAudioTypes.h`

AudioStreamPacketDescription

Describes one packet in a buffer of audio data where the sizes of the packets differ or where there is non-audio data between audio packets.

```
struct AudioStreamPacketDescription {
    SInt64  mStartOffset;
    UInt32  mVariableFramesInPacket;
    UInt32  mDataByteSize;
};
typedef struct AudioStreamPacketDescription AudioStreamPacketDescription;
```

Fields

`mStartOffset`

The number of bytes from the start of the buffer to the beginning of the packet. For example, if the data buffer contains 5 bytes of data, with one byte per packet, then `mStartOffset` for the last packet is 4 (that is, there are 4 bytes in the buffer before the start of the last packet).

`mVariableFramesInPacket`

The number of sample frames of data in the packet. For formats with a constant number of frames per packet, this field is set to 0.

mDataByteSize

The number of bytes in the packet.

Discussion

For data formats where the packet size is not constant, such as variable bit rate data and data where the channels have unequal sizes, this structure is used to supplement the information in the [AudioStreamBasicDescription](#) (page 15) structure.

Availability

Available in Mac OS X v10.2 and later.

Declared In

CoreAudioTypes.h

AudioTimeStamp

Holds multiple representations of a time stamp.

```
struct AudioTimeStamp {
    Float64          mSampleTime;
    UInt64           mHostTime;
    Float64          mRateScalar;
    UInt64           mWordClockTime;
    SMPTETime       mSMPTETime;
    UInt32           mFlags;
    UInt32           mReserved;
};
typedef struct AudioTimeStamp AudioTimeStamp;
```

Fields

mSampleTime

The absolute sample frame time.

mHostTime

The host machine's time base (see [CoreAudio/HostTime.h](#)).

mRateScalar

The ratio of actual host ticks per sample frame to the nominal host ticks per sample frame.

mWordClockTime

The word clock time.

mSMPTETime

The SMPTE time (see [SMPTETime](#) (page 19)).

mFlags

A set of flags indicating which representations of the time are valid; see [“Audio Time Stamp Flags”](#) (page 32) and [“Audio Time Stamp Flag Combination Constant”](#) (page 33).

mReserved

Pads the structure out to force an even 8-byte alignment.

Availability

Available in Mac OS X v10.0 and later.

Declared In

CoreAudioTypes.h

AudioValueRange

Holds a pair of numbers that represent a continuous range of values.

```

struct AudioValueRange {
    Float64 mMinimum;
    Float64 mMaximum;
};
typedef struct AudioValueRange AudioValueRange;

```

Fields

mMinimum

The minimum value.

mMaximum

The maximum value.

Availability

Available in Mac OS X v10.1 and later.

Declared In

CoreAudioTypes.h

AudioValueTranslation

Holds buffers used in translation operations.

```

struct AudioValueTranslation {
    void* mInputData;
    UInt32 mInputDataSize;
    void* mOutputData;
    UInt32 mOutputDataSize;
};
typedef struct AudioValueTranslation AudioValueTranslation;

```

Fields

mInputData

The buffer containing the data to be translated.

mInputDataSize

The number of bytes in the buffer pointed at by mInputData.

mOutputData

The buffer to hold the result of the translation.

mOutputDataSize

The number of bytes in the buffer pointed at by mOutputData.

Availability

Available in Mac OS X v10.1 and later.

Declared In

CoreAudioTypes.h

SMPTETime

Specifies a time stamp as one of the SMPTE time types.

```

struct SMPTETime {
    SInt16  mSubframes;
    SInt16  mSubframeDivisor;
    UInt32  mCounter;
    UInt32  mType;
    UInt32  mFlags;
    SInt16  mHours;
    SInt16  mMinutes;
    SInt16  mSeconds;
    SInt16  mFrames;
};
typedef struct SMPTETime SMPTETime;

```

Fields

mSubframes

A subframe offset to the HH:MM:SS:FF time. You can use this field to position a time marker somewhere within the time span represented by a video frame, if necessary.

mSubframeDivisor

The number of subframes per video frame (typically 80).

mCounter

The total number of messages received. It takes 8 messages to carry a full SMPTE time code.

mType

A SMPTE time type constant indicating the kind of SMPTE time used (see [“SMPTE Time Type Constants”](#) (page 31)).

mFlags

A set of flags that indicate the SMPTE state (see [“SMPTE State Flags”](#) (page 32)).

mHours

The value of the hours portion of the SMPTE time.

mMinutes

The value of the minutes portion of the SMPTE time.

mSeconds

The value of the seconds portion of the SMPTE time.

mFrames

The value of the frames portion of the SMPTE time.

Discussion

SMPTE (Society of Motion Picture and Television Engineers, pronounced “SIMPtee”) times are used to correlate a point in an audio stream with an external event. For example, a SMPTE time can be used to correlate a sound in an audio file with a video frame in a movie file.

Note that the frames referred to by this structure are video frames, where a video frame is a single complete image. (Compare with the definition of audio frames in the discussion for [AudioStreamBasicDescription](#) (page 15).)

A complete SMPTE time description takes 80 bits, including 32 user bits that contain vendor-specific information. The actual time-code portion of the SMPTE time description is normally sent in several messages, each message containing a portion of the time code. (The user bits are sent in a separate message.) Typically, the SMPTE time description is divided up into 8 1-byte messages, with the first nibble of each message specifying which portion of the time code is contained in the message and the second nibble containing the time information. Four such messages are normally sent with each video frame.

Video data contains somewhere from 24 to 60 frames per second (as specified by the SMPTE time type—see “SMPTE Time Type Constants” (page 31)) and each video frame has an associated SMPTE time. SMPTE time is based on a 24-hour clock. Each frame’s SMPTE time consists of an hour, minute, and second value, plus the number of the frame within the second. Because audio data is sampled at a much higher rate (MP3 data is sampled at over 100,000 bits per second, for example), it is frequently desirable to correlate the audio data with a time within the persistence period of a single video frame. For this reason, the time period during which a single video frame is displayed is subdivided into subframes (typically 80 or 100 subframes per frame, as specified by the `mSubFrameDivisor` field). The `mSubFrames` field specifies the number of subframes into the video frame represented by this time structure.

Availability

Available in Mac OS X v10.0 and later.

Declared In

`CoreAudioTypes.h`

Constants

AudioStreamBasicDescription Constant

A constant for use with the `AudioStreamBasicDescription` structure.

```
enum {
    kAudioStreamAnyRate = 0
};
```

Constants

`kAudioStreamAnyRate`

The format can use any sample rate. Note that this constant can only appear in listings of supported formats. It can never be used as part of the description of a current format.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Audio Data Format Identifiers

Four-character code identifiers for audio data formats, used in the `AudioStreamBasicDescription` structure.

```
enum {
    kAudioFormatLinearPCM           = 'lpcm',
    kAudioFormatAC3                 = 'ac-3',
    kAudioFormat60958AC3           = 'cac3',
    kAudioFormatAppleIMA4           = 'ima4',
    kAudioFormatMPEG4AAC            = 'aac ',
    kAudioFormatMPEG4CELP           = 'celp',
    kAudioFormatMPEG4HVXC           = 'hvxc',
    kAudioFormatMPEG4TwinVQ         = 'twvq',
    kAudioFormatMACE3               = 'MAC3',
    kAudioFormatMACE6               = 'MAC6',
    kAudioFormatULaw                = 'ulaw',
    kAudioFormatALaw               = 'alaw',
    kAudioFormatQDesign             = 'QDMC',
    kAudioFormatQDesign2            = 'QDM2',
    kAudioFormatQUALCOMM            = 'Qc1p',
    kAudioFormatMPEGLayer1          = '.mp1',
    kAudioFormatMPEGLayer2          = '.mp2',
    kAudioFormatMPEGLayer3          = '.mp3',
    kAudioFormatTimeCode            = 'time',
    kAudioFormatMIDIStream           = 'midi',
    kAudioFormatParameterValueStream = 'apvs',
    kAudioFormatAppleLossless       = 'alac',
    kAudioFormatMPEG4AAC_HE         = 'aach',
    kAudioFormatMPEG4AAC_LD         = 'aac1',
    kAudioFormatMPEG4AAC_HE_V2      = 'aacp',
    kAudioFormatMPEG4AAC_Spatial     = 'aacs',
    kAudioFormatAMR                  = 'samr',
};
```

Constants

`kAudioFormatLinearPCM`

A key that specifies linear PCM, a noncompressed audio data format with one frame per packet. Uses the linear PCM format flags in “[AudioStreamBasicDescription Flags](#)” (page 25).

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatAC3`

A key that specifies an AC-3 codec. Uses no flags.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormat60958AC3`

A key that specifies an AC-3 codec that provides data packaged for transport over an IEC 60958 compliant digital audio interface. Uses the standard format flags in “[AudioStreamBasicDescription Flags](#)” (page 25).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatAppleIMA4`

A key that specifies Apple’s implementation of the IMA 4:1 ADPCM codec. Uses no flags.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4AAC`

A key that specifies an MPEG-4 AAC codec. The flags field contains the MPEG-4 audio object type constant listed in “MPEG-4 Audio Object Type Constants” (page 29) indicating the specific kind of data.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4CELP`

A key that specifies an MPEG-4 CELP codec. The flags field contains the MPEG-4 audio object type constant listed in “MPEG-4 Audio Object Type Constants” (page 29) indicating the specific kind of data.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4HVXC`

A key that specifies an MPEG-4 HVXC codec. The flags field contains the MPEG-4 audio object type constant listed in “MPEG-4 Audio Object Type Constants” (page 29) indicating the specific kind of data.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4TwinVQ`

A key that specifies an MPEG-4 TwinVQ codec. The flags field contains the MPEG-4 audio object type constant listed in “MPEG-4 Audio Object Type Constants” (page 29) indicating the specific kind of data.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMACE3`

MACE 3:1. Uses no flags.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMACE6`

MACE 6:1. Uses no flags.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatULaw`

μ Law 2:1. Uses no flags.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatALaw`

aLaw 2:1. Uses no flags.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatQDesign`

QDesign music. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatQDesign2`

QDesign2 music. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatQUALCOMM`

QUALCOMM PureVoice. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEGLayer1`

MPEG-1/2, Layer 1 audio. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEGLayer2`

MPEG-1/2, Layer 2 audio. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEGLayer3`

MPEG-1/2, Layer 3 audio. Uses no flags

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatTimeCode`

A stream of `IOAudioTimeStamp` structures. Uses the `IOAudioTimeStamp` flags (see “[Audio Time Stamp Flags](#)” (page 32) and “[Audio Time Stamp Flag Combination Constant](#)” (page 33)).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMIDIStream`

A stream of `MIDIPacketList` structures where the time stamps in the `MIDIPacket` structures are sample offsets in the stream. The `mSampleRate` field in the `AudioStreamBasicDescription` structure is used to describe how time is passed in this kind of stream and an audio unit that receives or generates this stream can use this sample rate together with the number of frames it is rendering and the sample offsets within the `MIDIPacketList` to define the time for any MIDI event within this list. Uses no flags.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatParameterValueStream`

A "side-chain" of `Float32` data that can be fed or generated by an audio unit and that is used to send a high density of parameter value control information. An audio unit typically runs a parameter value stream at either the sample rate of the audio unit's audio data, or some integer quotient of this (say a half or a third of the sample rate of the audio). The `mSampleRate` field in the `AudioStreamBasicDescription` structure describes this relationship. Uses no flags.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatAppleLossless`

Apple Lossless. Uses no flags.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4AAC_HE`

MPEG-4 High Efficiency AAC audio object. Uses no flags.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4AAC_LD`

MPEG-4 AAC Low Delay audio object. Uses no flags.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4AAC_HE_V2`

MPEG-4 High Efficiency AAC Version 2 audio object. Uses no flags.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatMPEG4AAC_Spatial`

MPEG-4 Spatial Audio audio object. Uses no flags.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatAMR`

The AMR (Adaptive Multi-Rate) narrow band speech codec.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

Discussion

Use these identifiers to test for the presence of audio codecs on a system. If a given codec is present, you can use its identifier to specify that codec for data encoding or decoding, according to the capabilities of the codec. For more information, see *Audio Playback and Recording Guide* and the "Audio Formats" chapter in *Audio Overview*.

Declared In

`CoreAudioTypes.h`

AudioStreamBasicDescription Flags

Standard flags for use in the `mFormatFlags` field of the [AudioStreamBasicDescription](#) (page 15) structure.

```

enum {
    kAudioFormatFlagIsFloat                = (1 << 0),    // 0x1
    kAudioFormatFlagIsBigEndian            = (1 << 1),    // 0x2
    kAudioFormatFlagIsSignedInteger        = (1 << 2),    // 0x4
    kAudioFormatFlagIsPacked               = (1 << 3),    // 0x8
    kAudioFormatFlagIsAlignedHigh          = (1 << 4),    // 0x10
    kAudioFormatFlagIsNonInterleaved       = (1 << 5),    // 0x20
    kAudioFormatFlagIsNonMixable           = (1 << 6),    // 0x40
    kAudioFormatFlagsAreAllClear           = (1 << 31),

    kLinearPCMFormatFlagIsFloat            = kAudioFormatFlagIsFloat,
    kLinearPCMFormatFlagIsBigEndian        = kAudioFormatFlagIsBigEndian,
    kLinearPCMFormatFlagIsSignedInteger    = kAudioFormatFlagIsSignedInteger,
    kLinearPCMFormatFlagIsPacked           = kAudioFormatFlagIsPacked,
    kLinearPCMFormatFlagIsAlignedHigh      = kAudioFormatFlagIsAlignedHigh,
    kLinearPCMFormatFlagIsNonInterleaved   = kAudioFormatFlagIsNonInterleaved,
    kLinearPCMFormatFlagIsNonMixable       = kAudioFormatFlagIsNonMixable,
    kLinearPCMFormatFlagsAreAllClear       = kAudioFormatFlagsAreAllClear,

    kAppleLosslessFormatFlag_16BitSourceData = 1,
    kAppleLosslessFormatFlag_20BitSourceData = 2,
    kAppleLosslessFormatFlag_24BitSourceData = 3,
    kAppleLosslessFormatFlag_32BitSourceData = 4
};

```

Constants

`kAudioFormatFlagIsFloat`

Set for floating point, clear for integer.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsBigEndian`

Set for big endian, clear for little endian.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsSignedInteger`

Set for signed integer, clear for unsigned integer. This is only valid if `kAudioFormatFlagIsFloat` is clear.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsPacked`

Set if the sample bits occupy the entire available bits for the channel, clear if they are high- or low-aligned within the channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsAlignedHigh`

Set if the sample bits are placed into the high bits of the channel, clear for low bit placement. This is only valid if `kAudioFormatFlagIsPacked` is clear.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsNonInterleaved`

Set if the samples for each channel are located contiguously and the channels are laid out end to end, clear if the samples for each frame are laid out contiguously and the frames laid out end to end. This flag affects the use of the `AudioStreamBasicDescription` and `AudioBufferList` structures; see the discussion of the [AudioStreamBasicDescription](#) (page 15) structure for details.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagIsNonMixable`

Set to indicate when a format is nonmixable. Note that this flag is only used when interacting with the HAL's stream format information. It is not a valid flag for any other use.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagsAreAllClear`

Set to indicate all the flags are clear. You must use this constant instead of 0, because a 0 in the `mFormatFlags` field of the `AudioStreamBasicDescription` structure indicates that there are no format flags.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsFloat`

Synonym for `kAudioFormatFlagIsFloat`.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsBigEndian`

Synonym for `kAudioFormatFlagIsBigEndian`.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsSignedInteger`

Synonym for `kAudioFormatFlagIsSignedInteger`.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsPacked`

Synonym for `kAudioFormatFlagIsPacked`.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsAlignedHigh`

Synonym for `kAudioFormatFlagIsAlignedHigh`.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsNonInterleaved`

Synonym for `kAudioFormatFlagIsNonInterleaved`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagIsNonMixable`

Synonym for `kAudioFormatFlagIsNonMixable`.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kLinearPCMFormatFlagsAreAllClear`

Synonym for `kAudioFormatFlagsAreAllClear`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAppleLosslessFormatFlag_16BitSourceData`

This flag is set for Apple Lossless data that was sourced from 16 bit native endian signed integer data.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAppleLosslessFormatFlag_20BitSourceData`

Set for Apple Lossless data that was sourced from 20 bit native endian signed integer data aligned high in 24 bits.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAppleLosslessFormatFlag_24BitSourceData`

Set for Apple Lossless data that was sourced from 24 bit native endian signed integer data.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAppleLosslessFormatFlag_32BitSourceData`

Set for Apple Lossless data that was sourced from 32 bit native endian signed integer data.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

AudioStreamBasicDescription Flag Combinations Constants

Commonly used combinations of data format flags for the [AudioStreamBasicDescription](#) (page 15) structure.

```
enum {
    #if TARGET_RT_BIG_ENDIAN
        kAudioFormatFlagsNativeEndian    = kAudioFormatFlagIsBigEndian,
    #else
        kAudioFormatFlagsNativeEndian    = 0,
    #endif
}
```

```

#if !CA_PREFER_FIXED_POINT
    kAudioFormatFlagsCanonical = kAudioFormatFlagIsFloat |
                                kAudioFormatFlagsNativeEndian |
                                kAudioFormatFlagIsPacked,
                                kAudioFormatFlagsNativeEndian |
                                kAudioFormatFlagIsPacked |
                                kAudioFormatFlagIsNonInterleaved,
#else
    kAudioFormatFlagsCanonical = kAudioFormatFlagIsSignedInteger |
                                kAudioFormatFlagsNativeEndian |
                                kAudioFormatFlagIsPacked,
                                kAudioFormatFlagsNativeEndian |
                                kAudioFormatFlagIsPacked |
                                kAudioFormatFlagIsNonInterleaved |
                                (kAudioUnitSampleFractionBits <<
kLinearPCMFormatFlagsSampleFractionShift),
#endif

    kAudioFormatFlagsNativeFloatPacked = kAudioFormatFlagIsFloat |
                                          kAudioFormatFlagsNativeEndian |
                                          kAudioFormatFlagIsPacked
};

```

Constants

`kAudioFormatFlagsNativeEndian`

Defined to set or clear `kAudioFormatFlagIsBigEndian` depending on the endianness of the processor at build time.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagsCanonical`

The set of flags for the canonical input-output audio sample type, which match the [AudioSampleType](#) (page 15) type.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioFormatFlagsNativeFloatPacked`

The flags for the canonical format of fully packed, native endian floating point data.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

Discussion

Fixed-point formats are preferred in iPhone OS, while floating-point formats are preferred in Mac OS X.

Declared In

`CoreAudioTypes.h`

MPEG-4 Audio Object Type Constants

Used in the `mFormatFlags` field of an [AudioStreamBasicDescription](#) (page 15) structure that describes an MPEG-4 audio stream to specify the type of MPEG-4 audio data. (**Deprecated.** Deprecated in Mac OS X v10.5.)

```
enum {
    kMPEG40bject_AAC_Main          = 1,
    kMPEG40bject_AAC_LC           = 2,
    kMPEG40bject_AAC_SSR          = 3,
    kMPEG40bject_AAC_LTP          = 4,
    kMPEG40bject_AAC_SBR          = 5,
    kMPEG40bject_AAC_Scalable     = 6,

    kMPEG40bject_TwinVQ           = 7,
    kMPEG40bject_CELP              = 8,
    kMPEG40bject_HVXC              = 9
};
```

Constants

`kMPEG40bject_AAC_Main`

Advanced audio coding; the basic MPEG-4 technology.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_AAC_LC`

Lossless coding; provides compression with no loss of quality.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_AAC_SSR`

Scalable sampling rate; provides different sampling frequencies for different targets.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_AAC_LTP`

Long term prediction; reduces redundancy in a coded signal.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_AAC_SBR`

Spectral band replication; reconstructs high-frequency content from lower frequencies and side information.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_AAC_Scalable`

Scalable lossless coding.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kMPEG40bject_TwinVQ`

Transform-domain weighted interleaved vector quantization, an audio codec optimized for audio coding at ultra low bit rates around 8 kbit/s.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

kMPEG4Object_CELP

Code Excited Linear Prediction, a narrow-band/wide-band speech codec.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

kMPEG4Object_HVXC

Harmonic Vector Excitation Coding, a very-low bit-rate parametric speech codec.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

Discussion

See the Moving Picture Experts Group web page (<http://www.chiariglione.org/mpeg/>) for details about MPEG technologies.

Declared In

`CoreAudioTypes.h`

SMPTETime Type Constants

The various types of SMPTETime, used in the `SMPTETime` (page 19) structure.

```
enum {
    kSMPTETimeType24           = 0,
    kSMPTETimeType25           = 1,
    kSMPTETimeType30Drop      = 2,
    kSMPTETimeType30           = 3,
    kSMPTETimeType2997        = 4,
    kSMPTETimeType2997Drop    = 5,
    kSMPTETimeType60           = 6,
    kSMPTETimeType5994        = 7
};
```

Constants

kSMPTETimeType24

24 video frames per second—standard for 16mm and 35mm film.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

kSMPTETimeType25

25 video frames per second—standard for PAL and SECAM video.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

kSMPTETimeType30Drop

30 video frames per second, with video-frame-number counts adjusted to ensure that the timecode matches elapsed clock time.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

kSMPTETimeType30

30 video frames per second.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kSMPTETimeType2997`

29.97 video frames per second—standard for NTSC video.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kSMPTETimeType2997Drop`

29.97 video frames per second, with video-frame-number counts adjusted to ensure that the timecode matches elapsed clock time.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kSMPTETimeType60`

60 video frames per second.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kSMPTETimeType5994`

59.94 video frames per second..

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

SMPTE State Flags

Flags that describe a SMPTE time state.

```
enum {
    kSMPTETimeValid      = (1 << 0),
    kSMPTETimeRunning   = (1 << 1)
};
```

Constants

`kSMPTETimeValid`

The full time is valid.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

`kSMPTETimeRunning`

Time is running.

Available in Mac OS X v10.0 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Audio Time Stamp Flags

These flags indicate the valid fields in an [AudioTimeStamp](#) (page 18) structure.


```
enum {
    kAudioTimeStampSampleTimeValid    = (1 << 0),
    kAudioTimeStampHostTimeValid      = (1 << 1),
    kAudioTimeStampRateScalarValid    = (1 << 2),
    kAudioTimeStampWordClockTimeValid = (1 << 3),
    kAudioTimeStampSMPTETimeValid     = (1 << 4)
};
```

Constants

`kAudioTimeStampSampleTimeValid`
The sample frame time is valid.
 Available in Mac OS X v10.0 and later.
 Declared in `CoreAudioTypes.h`.

`kAudioTimeStampHostTimeValid`
The host time is valid.
 Available in Mac OS X v10.0 and later.
 Declared in `CoreAudioTypes.h`.

`kAudioTimeStampRateScalarValid`
The rate scalar is valid.
 Available in Mac OS X v10.0 and later.
 Declared in `CoreAudioTypes.h`.

`kAudioTimeStampWordClockTimeValid`
The word clock time is valid.
 Available in Mac OS X v10.0 and later.
 Declared in `CoreAudioTypes.h`.

`kAudioTimeStampSMPTETimeValid`
The SMPTE time is valid.
 Available in Mac OS X v10.0 and later.
 Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Audio Time Stamp Flag Combination Constant

A commonly used combination of audio time stamp flags.

```
enum {
    kAudioTimeStampSampleHostTimeValid = (kAudioTimeStampSampleTimeValid |
    kAudioTimeStampHostTimeValid)
};
```

Constants

`kAudioTimeStampSampleHostTimeValid`
The sample frame time and the host time are valid.
 Available in Mac OS X v10.2 and later.
 Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Audio Channel Label Constants

Channel labels for use in the `mChannelLabel` field of an [AudioChannelDescription](#) (page 13) structure.

```
enum {
    kAudioChannelLabel_Unknown          = 0xFFFFFFFF,
    kAudioChannelLabel_Unused          = 0,
    kAudioChannelLabel_UseCoordinates = 100,

    kAudioChannelLabel_Left            = 1,
    kAudioChannelLabel_Right           = 2,
    kAudioChannelLabel_Center          = 3,
    kAudioChannelLabel_LFEScreen       = 4,
    kAudioChannelLabel_LeftSurround    = 5,
    kAudioChannelLabel_RightSurround   = 6,
    kAudioChannelLabel_LeftCenter      = 7,
    kAudioChannelLabel_RightCenter     = 8,
    kAudioChannelLabel_CenterSurround  = 9,
    kAudioChannelLabel_LeftSurroundDirect = 10,
    kAudioChannelLabel_RightSurroundDirect = 11,
    kAudioChannelLabel_TopCenterSurround = 12,
    kAudioChannelLabel_VerticalHeightLeft = 13,
    kAudioChannelLabel_VerticalHeightCenter = 14,
    kAudioChannelLabel_VerticalHeightRight = 15,

    kAudioChannelLabel_TopBackLeft     = 16,
    kAudioChannelLabel_TopBackCenter   = 17,
    kAudioChannelLabel_TopBackRight    = 18,

    kAudioChannelLabel_RearSurroundLeft = 33,
    kAudioChannelLabel_RearSurroundRight = 34,
    kAudioChannelLabel_LeftWide        = 35,
    kAudioChannelLabel_RightWide       = 36,
    kAudioChannelLabel_LFE2            = 37,
    kAudioChannelLabel_LeftTotal       = 38,
    kAudioChannelLabel_RightTotal      = 39,
    kAudioChannelLabel_HearingImpaired = 40,
    kAudioChannelLabel_Narration       = 41,
    kAudioChannelLabel_Mono            = 42,
    kAudioChannelLabel_DialogCentricMix = 43,

    kAudioChannelLabel_CenterSurroundDirect = 44,

    kAudioChannelLabel_Haptic          = 45,

    // first order ambisonic channels
    kAudioChannelLabel_Ambisonic_W     = 200,
    kAudioChannelLabel_Ambisonic_X     = 201,
    kAudioChannelLabel_Ambisonic_Y     = 202,
    kAudioChannelLabel_Ambisonic_Z     = 203,

    // Mid/Side Recording
    kAudioChannelLabel_MS_Mid          = 204,
    kAudioChannelLabel_MS_Side         = 205,
```

```

// X-Y Recording
kAudioChannelLabel_XY_X           = 206,
kAudioChannelLabel_XY_Y           = 207,

// other
kAudioChannelLabel_HeadphonesLeft = 301,
kAudioChannelLabel_HeadphonesRight = 302,
kAudioChannelLabel_ClickTrack     = 304,
kAudioChannelLabel_ForeignLanguage = 305,

// generic discrete channel
kAudioChannelLabel_Discrete       = 400,

// numbered discrete channel
kAudioChannelLabel_Discrete_0     = (1<<16) | 0,
kAudioChannelLabel_Discrete_1     = (1<<16) | 1,
kAudioChannelLabel_Discrete_2     = (1<<16) | 2,
kAudioChannelLabel_Discrete_3     = (1<<16) | 3,
kAudioChannelLabel_Discrete_4     = (1<<16) | 4,
kAudioChannelLabel_Discrete_5     = (1<<16) | 5,
kAudioChannelLabel_Discrete_6     = (1<<16) | 6,
kAudioChannelLabel_Discrete_7     = (1<<16) | 7,
kAudioChannelLabel_Discrete_8     = (1<<16) | 8,
kAudioChannelLabel_Discrete_9     = (1<<16) | 9,
kAudioChannelLabel_Discrete_10    = (1<<16) | 10,
kAudioChannelLabel_Discrete_11    = (1<<16) | 11,
kAudioChannelLabel_Discrete_12    = (1<<16) | 12,
kAudioChannelLabel_Discrete_13    = (1<<16) | 13,
kAudioChannelLabel_Discrete_14    = (1<<16) | 14,
kAudioChannelLabel_Discrete_15    = (1<<16) | 15,
kAudioChannelLabel_Discrete_65535 = (1<<16) | 65535
};

```

Constants

`kAudioChannelLabel_Unknown`

Unknown role or unspecified other use for channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLabel_Unused`

The channel is present, but has no intended role or destination.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLabel_UseCoordinates`

The channel is described solely by the `mCoordinates` field of the `AudioChannelDescription` structure.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLabel_Left`

Left channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_Right`
Right channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Center`
Center channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LFEScreen`
Low Frequency Effects Screen; a subwoofer located in front of the theater.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LeftSurround`
Left surround channel; or for WAVE (.wav) files, back left.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RightSurround`
Right surround channel; or for WAVE (.wav) files, back right.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LeftCenter`
Left center channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RightCenter`
Right center channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_CenterSurround`
Center surround channel; or for WAVE (.wav) files, back center or rear surround.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LeftSurroundDirect`
Left surround direct channel; or for WAVE (.wav) files, side left.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RightSurroundDirect`
Right surround direct channel; or for WAVE (.wav) files, side right.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_TopCenterSurround`
Top center surround-sound channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_VerticalHeightLeft`
Vertical height left channel; or for WAVE (.wav) files, top front left.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_VerticalHeightCenter`
Vertical height center channel; or for WAVE (.wav) files, top front center.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_VerticalHeightRight`
Vertical height right channel; or for WAVE (.wav) files, top front right.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_TopBackLeft`
Top back left channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_TopBackCenter`
Top back center channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_TopBackRight`
Top back right channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RearSurroundLeft`
Rear surround left channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RearSurroundRight`
Rear surround right channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LeftWide`
Left wide channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_RightWide`
Right wide channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LFE2`
Low Frequency Effects 2.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_LeftTotal`
The left channel of matrix encoded 4 channel audio.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_RightTotal`
The right channel of matrix encoded 4 channel audio.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_HearingImpaired`
Channel carrying audio for the hearing impaired.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Narration`
Narration channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Mono`
Monaural channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_DialogCentricMix`
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_CenterSurroundDirect`
Back center, non diffuse channel.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Haptic`
A channel for haptic (touch) data.
Available in Mac OS X v10.5 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_Ambisonic_W`
First order Ambisonic channel W.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Ambisonic_X`
First order Ambisonic channel X.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Ambisonic_Y`
First order Ambisonic channel Y.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Ambisonic_Z`
First order Ambisonic channel Z.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_MS_Mid`
Mid channel of a Mid/Side recording.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_MS_Side`
Side channel of a Mid/Side recording.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_XY_X`
X channel of an X-Y recording.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_XY_Y`
Y channel of an X-Y recording.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_HeadphonesLeft`
Left channel of stereo headphones.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_HeadphonesRight`
Right channel of stereo headphones.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_ClickTrack`
Click track channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_ForeignLanguage`
Foreign language channel.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete`
Generic discrete channel.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_0`
Discrete channel 0.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_1`
Discrete channel 1.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_2`
Discrete channel 2.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_3`
Discrete channel 3.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_4`
Discrete channel 4.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_5`
Discrete channel 5.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_6`
Discrete channel 6.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLabel_Discrete_7`
Discrete channel 7.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_8`
Discrete channel 8.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_9`
Discrete channel 9.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_10`
Discrete channel 10.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_11`
Discrete channel 11.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_12`
Discrete channel 12.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_13`
Discrete channel 13.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_14`
Discrete channel 14.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_15`
Discrete channel 15.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLabel_Discrete_65535`
Discrete channel 65536.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.

Declared In
`CoreAudioTypes.h`

Channel Bitmap Constants

Channel bits for use in the `mChannelBitmap` field of an `AudioChannelLayout` (page 13) structure.

```
enum {
    kAudioChannelBit_Left           = (1<<0),
    kAudioChannelBit_Right         = (1<<1),
    kAudioChannelBit_Center        = (1<<2),
    kAudioChannelBit_LFEScreen     = (1<<3),
    kAudioChannelBit_LeftSurround  = (1<<4),
    kAudioChannelBit_RightSurround = (1<<5),
    kAudioChannelBit_LeftCenter    = (1<<6),
    kAudioChannelBit_RightCenter   = (1<<7),
    kAudioChannelBit_CenterSurround = (1<<8),
    kAudioChannelBit_LeftSurroundDirect = (1<<9),
    kAudioChannelBit_RightSurroundDirect = (1<<10),
    kAudioChannelBit_TopCenterSurround = (1<<11),
    kAudioChannelBit_VerticalHeightLeft = (1<<12),
    kAudioChannelBit_VerticalHeightCenter = (1<<13),
    kAudioChannelBit_VerticalHeightRight = (1<<14),
    kAudioChannelBit_TopBackLeft   = (1<<15),
    kAudioChannelBit_TopBackCenter = (1<<16),
    kAudioChannelBit_TopBackRight  = (1<<17)
};
```

Constants

`kAudioChannelBit_Left`

Left channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_Right`

Right channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_Center`

Center channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_LFEScreen`

Low Frequency Effects screen channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_LeftSurround`

Left surround channel; or for WAVE (.wav) files, back left.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_RightSurround`

Right surround channel; or for WAVE (.wav) files, back right.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_LeftCenter`

Left center channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_RightCenter`

Right center channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_CenterSurround`

Center surround channel; or for WAVE (.wav) files, back center.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_LeftSurroundDirect`

Left surround direct channel; or for WAVE (.wav) files, side left.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_RightSurroundDirect`

Right surround direct channel; or for WAVE (.wav) files, side right.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_TopCenterSurround`

Top center surround channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_VerticalHeightLeft`

Vertical height left channel; or for WAVE (.wav) files, top front left.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_VerticalHeightCenter`

Vertical height center channel; or for WAVE (.wav) files, top front center.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_VerticalHeightRight`

Vertical height right channel; or for WAVE (.wav) files, top front right.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_TopBackLeft`

Top back left channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_TopBackCenter`

Top back center channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelBit_TopBackRight`

Top back right channel.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Channel Coordinate Flags

Used in the `mChannelFlags` field of an [AudioChannelDescription](#) (page 13) structure.

```
enum {
    kAudioChannelFlags_AllOff                = 0,
    kAudioChannelFlags_RectangularCoordinates = (1<<0),
    kAudioChannelFlags_SphericalCoordinates  = (1<<1),
    kAudioChannelFlags_Meters                = (1<<2)
};
```

Constants

`kAudioChannelFlags_AllOff`

All flags are clear.

Available in Mac OS X v10.4 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelFlags_RectangularCoordinates`

Set to indicate the channel is specified by the Cartesian coordinates of the speaker position. This flag is mutually exclusive with `kAudioChannelFlags_SphericalCoordinates`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelFlags_SphericalCoordinates`

Set to indicate the channel is specified by the spherical coordinates of the speaker position. This flag is mutually exclusive with `kAudioChannelFlags_RectangularCoordinates`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelFlags_Meters`

Set to indicate the units are in meters, clear to indicate the units are relative to the unit cube or unit sphere. For relative units, the listener is assumed to be at the center of the cube or sphere and the radius of the sphere or the distance from the center to the midpoint of the side of the cube is 1.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Channel Coordinate Index Constants

Indexes the fields of the `mCoordinates` array in an `AudioChannelDescription` (page 13) structure.

```
enum {
    kAudioChannelCoordinates_LeftRight    = 0,
    kAudioChannelCoordinates_BackFront    = 1,
    kAudioChannelCoordinates_DownUp      = 2,
    kAudioChannelCoordinates_Azimuth      = 0,
    kAudioChannelCoordinates_Elevation    = 1,
    kAudioChannelCoordinates_Distance     = 2
};
```

Constants

`kAudioChannelCoordinates_LeftRight`

For rectangular coordinates, negative is left and positive is right. The units are specified by the `mChannelFlags` field of the `AudioChannelDescription` structure.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelCoordinates_BackFront`

For rectangular coordinates, negative is back and positive is front. The units are specified by the `mChannelFlags` field.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelCoordinates_DownUp`

For rectangular coordinates, negative is below ground level, 0 is ground level, and positive is above ground level. The units are specified by the `mChannelFlags` field.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelCoordinates_Azimuth`

For spherical coordinates, 0 is front center, positive is right, negative is left, and measurements are in degrees.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelCoordinates_Elevation`

For spherical coordinates, +90 is zenith, 0 is horizontal, -90 is nadir, and measurements are in degrees.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelCoordinates_Distance`

For spherical coordinates, distance is radially from the center. The units are specified by the `mChannelFlags` field of the `AudioChannelDescription` structure.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Audio Channel Layout Tags

Used in the `mChannelLayoutTag` field of an `AudioChannelLayout` (page 13) structure.

```
enum {
    // General layouts
    kAudioChannelLayoutTag_UseChannelDescriptions = (0<<16) | 0,
    kAudioChannelLayoutTag_UseChannelBitmap      = (1<<16) | 0,

    kAudioChannelLayoutTag_Mono                  = (100<<16) | 1,
    kAudioChannelLayoutTag_Stereo               = (101<<16) | 2,
    kAudioChannelLayoutTag_StereoHeadphones     = (102<<16) | 2,
    kAudioChannelLayoutTag_MatrixStereo        = (103<<16) | 2,
    kAudioChannelLayoutTag_MidSide              = (104<<16) | 2,
    kAudioChannelLayoutTag_XY                   = (105<<16) | 2,
    kAudioChannelLayoutTag_Binaural             = (106<<16) | 2,
    kAudioChannelLayoutTag_Ambisonic_B_Format   = (107<<16) | 4,
    kAudioChannelLayoutTag_Quadraphonic        = (108<<16) | 4,
    kAudioChannelLayoutTag_Pentagonal           = (109<<16) | 5,
    kAudioChannelLayoutTag_Hexagonal            = (110<<16) | 6,
    kAudioChannelLayoutTag_Octagonal            = (111<<16) | 8,
    kAudioChannelLayoutTag_Cube                  = (112<<16) | 8,

    // MPEG defined layouts
    kAudioChannelLayoutTag_MPEG_1_0             = kAudioChannelLayoutTag_Mono,
    kAudioChannelLayoutTag_MPEG_2_0             = kAudioChannelLayoutTag_Stereo,
    kAudioChannelLayoutTag_MPEG_3_0_A           = (113<<16) | 3,
    kAudioChannelLayoutTag_MPEG_3_0_B           = (114<<16) | 3,
    kAudioChannelLayoutTag_MPEG_4_0_A           = (115<<16) | 4,
    kAudioChannelLayoutTag_MPEG_4_0_B           = (116<<16) | 4,
    kAudioChannelLayoutTag_MPEG_5_0_A           = (117<<16) | 5,
    kAudioChannelLayoutTag_MPEG_5_0_B           = (118<<16) | 5,
    kAudioChannelLayoutTag_MPEG_5_0_C           = (119<<16) | 5,
    kAudioChannelLayoutTag_MPEG_5_0_D           = (120<<16) | 5,
    kAudioChannelLayoutTag_MPEG_5_1_A           = (121<<16) | 6,
    kAudioChannelLayoutTag_MPEG_5_1_B           = (122<<16) | 6,
    kAudioChannelLayoutTag_MPEG_5_1_C           = (123<<16) | 6,
    kAudioChannelLayoutTag_MPEG_5_1_D           = (124<<16) | 6,
    kAudioChannelLayoutTag_MPEG_6_1_A           = (125<<16) | 7,
    kAudioChannelLayoutTag_MPEG_7_1_A           = (126<<16) | 8,
    kAudioChannelLayoutTag_MPEG_7_1_B           = (127<<16) | 8,
    kAudioChannelLayoutTag_MPEG_7_1_C           = (128<<16) | 8,
    kAudioChannelLayoutTag_Emagic_Default_7_1   = (129<<16) | 8,
    kAudioChannelLayoutTag_SMPTE_DTV            = (130<<16) | 8,
}
```

```

// ITU defined layouts
kAudioChannelLayoutTag_ITU_1_0          = kAudioChannelLayoutTag_Mono,
kAudioChannelLayoutTag_ITU_2_0          = kAudioChannelLayoutTag_Stereo,
kAudioChannelLayoutTag_ITU_2_1          = (131<<16) | 3,
kAudioChannelLayoutTag_ITU_2_2          = (132<<16) | 4,
kAudioChannelLayoutTag_ITU_3_0          =
kAudioChannelLayoutTag_MPEG_3_0_A,      =
kAudioChannelLayoutTag_ITU_3_1          =
kAudioChannelLayoutTag_MPEG_4_0_A,      =
kAudioChannelLayoutTag_ITU_3_2          =
kAudioChannelLayoutTag_MPEG_5_0_A,      =
kAudioChannelLayoutTag_ITU_3_2_1        =
kAudioChannelLayoutTag_MPEG_5_1_A,      =
kAudioChannelLayoutTag_ITU_3_4_1        =
kAudioChannelLayoutTag_MPEG_7_1_C,

// DVD defined layouts
kAudioChannelLayoutTag_DVD_0            = kAudioChannelLayoutTag_Mono,
kAudioChannelLayoutTag_DVD_1            = kAudioChannelLayoutTag_Stereo,
kAudioChannelLayoutTag_DVD_2            = kAudioChannelLayoutTag_ITU_2_1,
kAudioChannelLayoutTag_DVD_3            = kAudioChannelLayoutTag_ITU_2_2,
kAudioChannelLayoutTag_DVD_4            = (133<<16) | 3,
kAudioChannelLayoutTag_DVD_5            = (134<<16) | 4,
kAudioChannelLayoutTag_DVD_6            = (135<<16) | 5,
kAudioChannelLayoutTag_DVD_7            =
kAudioChannelLayoutTag_MPEG_3_0_A,      =
kAudioChannelLayoutTag_DVD_8            =
kAudioChannelLayoutTag_MPEG_4_0_A,      =
kAudioChannelLayoutTag_DVD_9            =
kAudioChannelLayoutTag_MPEG_5_0_A,      = (136<<16) | 4,
kAudioChannelLayoutTag_DVD_10           = (137<<16) | 5,
kAudioChannelLayoutTag_DVD_11           =
kAudioChannelLayoutTag_DVD_12           =
kAudioChannelLayoutTag_MPEG_5_1_A,      = kAudioChannelLayoutTag_DVD_8,
kAudioChannelLayoutTag_DVD_13           = kAudioChannelLayoutTag_DVD_9,
kAudioChannelLayoutTag_DVD_14           = kAudioChannelLayoutTag_DVD_10,
kAudioChannelLayoutTag_DVD_15           = kAudioChannelLayoutTag_DVD_11,
kAudioChannelLayoutTag_DVD_16           = kAudioChannelLayoutTag_DVD_12,
kAudioChannelLayoutTag_DVD_17           = (138<<16) | 5,
kAudioChannelLayoutTag_DVD_18           =
kAudioChannelLayoutTag_DVD_19           =
kAudioChannelLayoutTag_MPEG_5_0_B,      =
kAudioChannelLayoutTag_DVD_20           =
kAudioChannelLayoutTag_MPEG_5_1_B,

```

```

    // These layouts are recommended for AudioUnit use
    // These are the symmetrical layouts
    kAudioChannelLayoutTag_AudioUnit_4                =
kAudioChannelLayoutTag_Quadraphonic,
    kAudioChannelLayoutTag_AudioUnit_5                =
kAudioChannelLayoutTag_Pentagonal,
    kAudioChannelLayoutTag_AudioUnit_6                =
kAudioChannelLayoutTag_Hexagonal,
    kAudioChannelLayoutTag_AudioUnit_8                =
kAudioChannelLayoutTag_Octagonal,
    // These are the surround-based layouts
    kAudioChannelLayoutTag_AudioUnit_5_0              =
kAudioChannelLayoutTag_MPEG_5_0_B,
    kAudioChannelLayoutTag_AudioUnit_6_0              = (139<<16) | 6,
    kAudioChannelLayoutTag_AudioUnit_7_0              = (140<<16) | 7,
    kAudioChannelLayoutTag_AudioUnit_7_0_Front        = (148<<16) | 7,
    kAudioChannelLayoutTag_AudioUnit_5_1              =
kAudioChannelLayoutTag_MPEG_5_1_A,
    kAudioChannelLayoutTag_AudioUnit_6_1              =
kAudioChannelLayoutTag_MPEG_6_1_A,
    kAudioChannelLayoutTag_AudioUnit_7_1              =
kAudioChannelLayoutTag_MPEG_7_1_C,

    kAudioChannelLayoutTag_AAC_Quadraphonic          =
kAudioChannelLayoutTag_Quadraphonic,
    kAudioChannelLayoutTag_AAC_4_0                    =
kAudioChannelLayoutTag_MPEG_4_0_B,
    kAudioChannelLayoutTag_AAC_5_0                    =
kAudioChannelLayoutTag_MPEG_5_0_D,
    kAudioChannelLayoutTag_AAC_5_1                    =
kAudioChannelLayoutTag_MPEG_5_1_D,
    kAudioChannelLayoutTag_AAC_6_0                    = (141<<16) | 6,
    kAudioChannelLayoutTag_AAC_6_1                    = (142<<16) | 7,
    kAudioChannelLayoutTag_AAC_7_0                    = (143<<16) | 7,
    kAudioChannelLayoutTag_AAC_7_1                    =
kAudioChannelLayoutTag_MPEG_7_1_B,
    kAudioChannelLayoutTag_AAC_Octagonal              = (144<<16) | 8,

    kAudioChannelLayoutTag_TMH_10_2_std               = (145<<16) | 16,
    kAudioChannelLayoutTag_TMH_10_2_full              = (146<<16) | 21,

    kAudioChannelLayoutTag_AC3_1_0_1                 = (149<<16) | 2,
    // C LFE
    kAudioChannelLayoutTag_AC3_3_0                    = (150<<16) | 3,
    // L C R
    kAudioChannelLayoutTag_AC3_3_1                    = (151<<16) | 4,
    // L C R Cs
    kAudioChannelLayoutTag_AC3_3_0_1                  = (152<<16) | 4,
    // L C R LFE
    kAudioChannelLayoutTag_AC3_2_1_1                  = (153<<16) | 4,
    // L R Cs LFE
    kAudioChannelLayoutTag_AC3_3_1_1                  = (154<<16) | 5,
    // L C R Cs LFE

```



```

kAudioChannelLayoutTag_DiscreteInOrder      = (147<<16) | 0
kAudioChannelLayoutTag_Unknown              = 0xFFFF0000
// needs to be 0Red with the actual number of channels
};

```

Constants

`kAudioChannelLayoutTag_UseChannelDescriptions`

Use the array of `AudioChannelDescription` structures to define the layout.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_UseChannelBitmap`

Use the bitmap to define the layout.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Mono`

A standard monaural stream.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Stereo`

A standard stereo stream (left, right); playback implied.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_StereoHeadphones`

A standard stereo stream (left, right); headphone playback implied.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MatrixStereo`

A matrix encoded stereo stream (left total, right total).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MidSide`

Mid/side recording.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_XY`

Coincident microphone pair (often 2 figure eights).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Binaural`

Binaural stereo (left, right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Ambisonic_B_Format`

Ambisonics B-format (W, X, Y, Z).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Quadraphonic`

Quadraphonic (front left, front right, back left, back right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Pentagonal`

Pentagonal (left, right, rear left, rear right, center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Hexagonal`

Hexagonal (left, right, rear left, rear right, center, rear).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Octagonal`

Octagonal (front left, front right, rear left, rear right, front center, rear center, side left, side right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Cube`

Cubic (left, right, rear left, rear right, top left, top right, top rear left, top rear right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_1_0`

MPEG 1-channel (center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_2_0`

MPEG 2-channel (left, right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_3_0_A`

MPEG 3-channel layout A (left, right, center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_3_0_B`

MPEG 3-channel layout B (center, left, right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

- `kAudioChannelLayoutTag_MPEG_4_0_A`
MPEG 4- channel layout A (left, right, center, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_4_0_B`
MPEG 4-channel layout B (center, left, right, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_0_A`
MPEG 5-channel layout A (left, right, center, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_0_B`
MPEG 5-channel layout B (left, right, left surround, right surround, center).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_0_C`
MPEG 5-channel layout C (left, center, right, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_0_D`
MPEG 5-channel layout D (center, left, right, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_1_A`
MPEG 5.1-channel layout A (left, right, center, low-frequency effects, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_1_B`
MPEG 5.1-channel layout B (left, right, left surround, right surround, center, low-frequency effects).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_1_C`
MPEG 5.1-channel layout C (left, center, right, left surround, right surround, low-frequency effects).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_MPEG_5_1_D`
MPEG 5.1-channel layout D (center, left, right, left surround, right surround, low-frequency effects).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_6_1_A`

MPEG 6.1-channel layout A (left, right, center, low-frequency effects, left surround, right surround, center surround).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_7_1_A`

MPEG 7.1-channel layout A (left, right, center, low-frequency effects, left surround, right surround, left center, right center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_7_1_B`

MPEG 7.1-channel layout A (center, left center, right center, left, right, left surround, right surround, low-frequency effects (see IS-13818-7 MPEG2-AAC, Table 3.1)).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_MPEG_7_1_C`

MPEG 7.1-channel layout C (left, right, center, low-frequency effects, left surround, right, rear left surround, rear right surround).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Emagic_Default_7_1`

Emagic 7.1-channel default layout (left, right, left surround, right surround, center, low-frequency effects, left center, right center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_SMPTE_DTV`

SMPTE DTV layout (left, right, center, low-frequency effects, left surround, right surround, left matrix total (for matrix encoded stereo), right matrix total (for matrix encoded stereo), (`kAudioChannelLayoutTag_ITU_5_1` plus a matrix encoded stereo mix)).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_ITU_1_0`

ITU 1-channel layout (center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_ITU_2_0`

ITU 2-channel layout (left, right).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_ITU_2_1`

ITU 2.1-channel layout (left, right, center surround).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

- `kAudioChannelLayoutTag_ITU_2_2`
ITU 2.2-channel layout (left, right, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_ITU_3_0`
ITU 3-channel layout (left, right, center).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_ITU_3_1`
ITU 3.1-channel layout (left, right, center, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_ITU_3_2`
ITU 3.2-channel layout (left, right, center, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_ITU_3_2_1`
ITU 3.2.1-channel layout (left, right, center, low-frequency effects, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_ITU_3_4_1`
ITU 3.4.1-channel layout (left, right, center, low-frequency effects, left surround, right surround, rear left surround, rear right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_0`
DVD monaural layout (center).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_1`
DVD stereo layout (left, right).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_2`
DVD 3-channel layout (left, right, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_3`
DVD 4-channel layout (left, right, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

- `kAudioChannelLayoutTag_DVD_4`
DVD 2.1-channel layout (left, right, low-frequency effects).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_5`
DVD 3.1-channel layout (left, right, low-frequency effects, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_6`
DVD 4.1-channel layout (left, right, low-frequency effects, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_7`
DVD 3-channel layout (left, right, center).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_8`
DVD 4-channel layout (left, right, center, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_9`
DVD 5-channel layout (left, right, center, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_10`
DVD 3.1-channel layout (left, right, center, low-frequency effects).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_11`
DVD 4.1-channel layout (left, right, center, low-frequency effects, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_12`
DVD 5.1-channel layout (left, right, center, low-frequency effects, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_DVD_13`
DVD 4-channel layout (left, right, center, center surround); duplicate of `kAudioChannelLayoutTag_DVD_8`.
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_14`

DVD 5-channel layout (left, right, center, left surround, right surround); duplicate of `kAudioChannelLayoutTag_DVD_9`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_15`

DVD 3.1-channel layout (left, right, center, low-frequency effects); duplicate of `kAudioChannelLayoutTag_DVD_10`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_16`

DVD 4.1-channel layout (left, right, center, low-frequency effects, center surround); duplicate of `kAudioChannelLayoutTag_DVD_11`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_17`

DVD 5.1-channel layout (left, right, center, low-frequency effects, left surround, right surround); duplicate of `kAudioChannelLayoutTag_DVD_12`.

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_18`

DVD 4.1-channel layout (left, right, left surround, right surround, low-frequency effects).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_19`

DVD 5-channel layout (left, right, left surround, right surround, center).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DVD_20`

DVD 5.1-channel layout (left, right, left surround, right surround, center, low-frequency effects).

Available in Mac OS X v10.2 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AudioUnit_4`

Quadraphonic symmetrical layout, recommended for use by audio units.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AudioUnit_5`

Pentagonal symmetrical layout, recommended for use by audio units.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

- `kAudioChannelLayoutTag_AudioUnit_6`
Hexagonal symmetrical layout, recommended for use by audio units.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_8`
Octagonal symmetrical layout, recommended for use by audio units.
Available in Mac OS X v10.3 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_5_0`
5-channel surround-based layout, recommended for use by audio units (left, right, left surround, right surround, center).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_6_0`
6-channel surround-based layout, recommended for use by audio units (left, right, left surround, right surround, center, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_7_0`
7-channel surround-based layout, recommended for use by audio units (left, right, left surround, right surround, center, rear left surround, rear right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_7_0_Front`
Alternate 7-channel surround-based layout, for use by audio units (left, right, left surround, right surround, center, left center, right center).
Available in Mac OS X v10.5 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_5_1`
5.1-channel surround-based layout, recommended for use by audio units (left, right, center, low-frequency effects, left surround, right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_6_1`
6.1-channel surround-based layout, recommended for use by audio units (left, right, center, low-frequency effects, left surround, right surround, center surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.
- `kAudioChannelLayoutTag_AudioUnit_7_1`
7.1-channel surround-based layout, recommended for use by audio units (left, right, center, low-frequency effects, left surround, right surround, rear left surround, rear right surround).
Available in Mac OS X v10.2 and later.
Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_Quadraphonic`

AAC quadraphonic surround-based layout (left, right, left surround, right surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_4_0`

AAC 4-channel surround-based layout (center, left, right, center surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_5_0`

AAC 5-channel surround-based layout (center, left, right, left surround, right surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_5_1`

AAC 5.1-channel surround-based layout (center, left, right, left surround, right surround, low-frequency effects).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_6_0`

AAC 6-channel surround-based layout (center, left, right, left surround, right surround, center surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_6_1`

AAC 6.1-channel surround-based layout (center, left, right, left surround, right surround, center surround, low-frequency effects).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_7_0`

AAC 7-channel surround-based layout (center, left, right, left surround, right surround, rear left surround, rear right surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_7_1`

AAC 7.1-channel surround-based layout (center, left center, right center, left, right, left surround, right surround, low-frequency effects).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AAC_Octagonal`

AAC 8-channel surround-based layout (center, left, right, left surround, right surround, rear left surround, rear right surround, center surround).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_TMH_10_2_std`

TMH 10.2, a multiple-channel surround-based layout (left, right, center, vertical height center, left surround direct, right surround direct, left surround, right surround, vertical height left, vertical height right, left wide, right wide, center surround direct, center surround, low-frequency effects 1, low-frequency effects 2).

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_TMH_10_2_full`

TMH 10.2 (`kAudioChannelLayoutTag_TMH_10_2_std`) plus the following channels: left center, right center, HI, VI, and Haptic; recommended for use by audio units.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_1_0_1`

An AC-3 layout (center, low-frequency effects).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_3_0`

An AC-3 layout (left, center, right).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_3_1`

An AC-3 layout (left, center, right, center surround).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_3_0_1`

An AC-3 layout (left, center, right, low-frequency effects).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_2_1_1`

An AC-3 layout (left, right, center surround, low-frequency effects).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_AC3_3_1_1`

An AC-3 layout (left, center, right, center surround, low-frequency effects).

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_DiscreteInOrder`

Needs to be ORed with the actual number of channels.

Available in Mac OS X v10.3 and later.

Declared in `CoreAudioTypes.h`.

`kAudioChannelLayoutTag_Unknown`

Needs to be ORed with the actual number of channels.

Available in Mac OS X v10.5 and later.

Declared in `CoreAudioTypes.h`.

Declared In

`CoreAudioTypes.h`

Document Revision History

This table describes the changes to *Core Audio Data Types Reference*.

Date	Notes
2008-11-19	Clarified the distinction between the availability of audio data format identifier symbols and the presence of audio codecs in the operating system. See “Audio Data Format Identifiers” (page 21).
2008-09-09	Updated for iPhone OS version 2.1.
2008-07-08	Updated for iPhone OS 2.0.
2007-01-08	New document that lists and describes the data types and constants used throughout the Core Audio API.

REVISION HISTORY

Document Revision History

Index

A

Audio Channel Label Constants [34](#)
Audio Channel Layout Tags [46](#)
Audio Data Format Identifiers [21](#)
Audio Time Stamp Flag Combination Constant [33](#)
Audio Time Stamp Flags [32](#)
AudioBuffer **structure** [12](#)
AudioBufferList **structure** [12](#)
AudioChannelDescription **structure** [13](#)
AudioChannelLabel **data type** [13](#)
AudioChannelLayout **structure** [13](#)
AudioChannelLayoutTag **data type** [14](#)
AudioChannelLayoutTag_GetNumberOfChannels
macro [6](#)
AudioClassDescription **structure** [14](#)
AudioSampleType **data type** [15](#)
AudioStreamBasicDescription Constant [21](#)
AudioStreamBasicDescription Flag Combinations
Constants [28](#)
AudioStreamBasicDescription Flags [25](#)
AudioStreamBasicDescription **structure** [15](#)
AudioStreamPacketDescription **structure** [17](#)
AudioTimeStamp **structure** [18](#)
AudioValueRange **structure** [19](#)
AudioValueTranslation **structure** [19](#)

C

CalculateLPCMFlags **function** [6](#)
Channel Bitmap Constants [42](#)
Channel Coordinate Flags [44](#)
Channel Coordinate Index Constants [45](#)

F

FillOutASBDForLPCM **function** [7](#)
FillOutAudioTimeStampWithHostTime **function** [9](#)

FillOutAudioTimeStampWithSampleAndHostTime
function [9](#)
FillOutAudioTimeStampWithSampleTime **function**
[10](#)

I

IsAudioFormatNativeEndian **function** [11](#)

K

kAppleLosslessFormatFlag_16BitSourceData
constant [28](#)
kAppleLosslessFormatFlag_20BitSourceData
constant [28](#)
kAppleLosslessFormatFlag_24BitSourceData
constant [28](#)
kAppleLosslessFormatFlag_32BitSourceData
constant [28](#)
kAudioChannelBit_Center **constant** [42](#)
kAudioChannelBit_CenterSurround **constant** [43](#)
kAudioChannelBit_Left **constant** [42](#)
kAudioChannelBit_LeftCenter **constant** [43](#)
kAudioChannelBit_LeftSurround **constant** [42](#)
kAudioChannelBit_LeftSurroundDirect **constant**
[43](#)
kAudioChannelBit_LFEScreen **constant** [42](#)
kAudioChannelBit_Right **constant** [42](#)
kAudioChannelBit_RightCenter **constant** [43](#)
kAudioChannelBit_RightSurround **constant** [42](#)
kAudioChannelBit_RightSurroundDirect **constant**
[43](#)
kAudioChannelBit_TopBackCenter **constant** [44](#)
kAudioChannelBit_TopBackLeft **constant** [43](#)
kAudioChannelBit_TopBackRight **constant** [44](#)
kAudioChannelBit_TopCenterSurround **constant** [43](#)
kAudioChannelBit_VerticalHeightCenter **constant**
[43](#)

- kAudioChannelBit_VerticalHeightLeft **constant** [43](#)
- kAudioChannelBit_VerticalHeightRight **constant** [43](#)
- kAudioChannelCoordinates_Azimuth **constant** [45](#)
- kAudioChannelCoordinates_BackFront **constant** [45](#)
- kAudioChannelCoordinates_Distance **constant** [45](#)
- kAudioChannelCoordinates_DownUp **constant** [45](#)
- kAudioChannelCoordinates_Elevation **constant** [45](#)
- kAudioChannelCoordinates_LeftRight **constant** [45](#)
- kAudioChannelFlags_AllOff **constant** [44](#)
- kAudioChannelFlags_Meters **constant** [44](#)
- kAudioChannelFlags_RectangularCoordinates **constant** [44](#)
- kAudioChannelFlags_SphericalCoordinates **constant** [44](#)
- kAudioChannelLabel_Ambisonic_W **constant** [39](#)
- kAudioChannelLabel_Ambisonic_X **constant** [39](#)
- kAudioChannelLabel_Ambisonic_Y **constant** [39](#)
- kAudioChannelLabel_Ambisonic_Z **constant** [39](#)
- kAudioChannelLabel_Center **constant** [36](#)
- kAudioChannelLabel_CenterSurround **constant** [36](#)
- kAudioChannelLabel_CenterSurroundDirect **constant** [38](#)
- kAudioChannelLabel_ClickTrack **constant** [40](#)
- kAudioChannelLabel_DialogCentricMix **constant** [38](#)
- kAudioChannelLabel_Discrete **constant** [40](#)
- kAudioChannelLabel_Discrete_0 **constant** [40](#)
- kAudioChannelLabel_Discrete_1 **constant** [40](#)
- kAudioChannelLabel_Discrete_10 **constant** [41](#)
- kAudioChannelLabel_Discrete_11 **constant** [41](#)
- kAudioChannelLabel_Discrete_12 **constant** [41](#)
- kAudioChannelLabel_Discrete_13 **constant** [41](#)
- kAudioChannelLabel_Discrete_14 **constant** [41](#)
- kAudioChannelLabel_Discrete_15 **constant** [41](#)
- kAudioChannelLabel_Discrete_2 **constant** [40](#)
- kAudioChannelLabel_Discrete_3 **constant** [40](#)
- kAudioChannelLabel_Discrete_4 **constant** [40](#)
- kAudioChannelLabel_Discrete_5 **constant** [40](#)
- kAudioChannelLabel_Discrete_6 **constant** [40](#)
- kAudioChannelLabel_Discrete_65535 **constant** [41](#)
- kAudioChannelLabel_Discrete_7 **constant** [41](#)
- kAudioChannelLabel_Discrete_8 **constant** [41](#)
- kAudioChannelLabel_Discrete_9 **constant** [41](#)
- kAudioChannelLabel_ForeignLanguage **constant** [40](#)
- kAudioChannelLabel_Haptic **constant** [38](#)
- kAudioChannelLabel_HeadphonesLeft **constant** [39](#)
- kAudioChannelLabel_HeadphonesRight **constant** [39](#)
- kAudioChannelLabel_HearingImpaired **constant** [38](#)
- kAudioChannelLabel_Left **constant** [35](#)
- kAudioChannelLabel_LeftCenter **constant** [36](#)
- kAudioChannelLabel_LeftSurround **constant** [36](#)
- kAudioChannelLabel_LeftSurroundDirect **constant** [36](#)
- kAudioChannelLabel_LeftTotal **constant** [38](#)
- kAudioChannelLabel_LeftWide **constant** [37](#)
- kAudioChannelLabel_LFE2 **constant** [38](#)
- kAudioChannelLabel_LFEScreen **constant** [36](#)
- kAudioChannelLabel_Mono **constant** [38](#)
- kAudioChannelLabel_MS_Mid **constant** [39](#)
- kAudioChannelLabel_MS_Side **constant** [39](#)
- kAudioChannelLabel_Narration **constant** [38](#)
- kAudioChannelLabel_RearSurroundLeft **constant** [37](#)
- kAudioChannelLabel_RearSurroundRight **constant** [37](#)
- kAudioChannelLabel_Right **constant** [36](#)
- kAudioChannelLabel_RightCenter **constant** [36](#)
- kAudioChannelLabel_RightSurround **constant** [36](#)
- kAudioChannelLabel_RightSurroundDirect **constant** [36](#)
- kAudioChannelLabel_RightTotal **constant** [38](#)
- kAudioChannelLabel_RightWide **constant** [38](#)
- kAudioChannelLabel_TopBackCenter **constant** [37](#)
- kAudioChannelLabel_TopBackLeft **constant** [37](#)
- kAudioChannelLabel_TopBackRight **constant** [37](#)
- kAudioChannelLabel_TopCenterSurround **constant** [37](#)
- kAudioChannelLabel_Unknown **constant** [35](#)
- kAudioChannelLabel_Unused **constant** [35](#)
- kAudioChannelLabel_UseCoordinates **constant** [35](#)
- kAudioChannelLabel_VerticalHeightCenter **constant** [37](#)
- kAudioChannelLabel_VerticalHeightLeft **constant** [37](#)
- kAudioChannelLabel_VerticalHeightRight **constant** [37](#)
- kAudioChannelLabel_XY_X **constant** [39](#)
- kAudioChannelLabel_XY_Y **constant** [39](#)
- kAudioChannelLayoutTag_AAC_4_0 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_5_0 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_5_1 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_6_0 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_6_1 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_7_0 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_7_1 **constant** [57](#)
- kAudioChannelLayoutTag_AAC_Octagonal **constant** [57](#)
- kAudioChannelLayoutTag_AAC_Quadraphonic **constant** [57](#)
- kAudioChannelLayoutTag_AC3_1_0_1 **constant** [58](#)
- kAudioChannelLayoutTag_AC3_2_1_1 **constant** [58](#)
- kAudioChannelLayoutTag_AC3_3_0 **constant** [58](#)
- kAudioChannelLayoutTag_AC3_3_0_1 **constant** [58](#)
- kAudioChannelLayoutTag_AC3_3_1 **constant** [58](#)

- kAudioChannelLayoutTag_AC3_3_1_1 constant 58
- kAudioChannelLayoutTag_Ambisonic_B_Format constant 50
- kAudioChannelLayoutTag_AudioUnit_4 constant 55
- kAudioChannelLayoutTag_AudioUnit_5 constant 55
- kAudioChannelLayoutTag_AudioUnit_5_0 constant 56
- kAudioChannelLayoutTag_AudioUnit_5_1 constant 56
- kAudioChannelLayoutTag_AudioUnit_6 constant 56
- kAudioChannelLayoutTag_AudioUnit_6_0 constant 56
- kAudioChannelLayoutTag_AudioUnit_6_1 constant 56
- kAudioChannelLayoutTag_AudioUnit_7_0 constant 56
- kAudioChannelLayoutTag_AudioUnit_7_0_Front constant 56
- kAudioChannelLayoutTag_AudioUnit_7_1 constant 56
- kAudioChannelLayoutTag_AudioUnit_8 constant 56
- kAudioChannelLayoutTag_Binaural constant 49
- kAudioChannelLayoutTag_Cube constant 50
- kAudioChannelLayoutTag_DiscreteInOrder constant 58
- kAudioChannelLayoutTag_DVD_0 constant 53
- kAudioChannelLayoutTag_DVD_1 constant 53
- kAudioChannelLayoutTag_DVD_10 constant 54
- kAudioChannelLayoutTag_DVD_11 constant 54
- kAudioChannelLayoutTag_DVD_12 constant 54
- kAudioChannelLayoutTag_DVD_13 constant 54
- kAudioChannelLayoutTag_DVD_14 constant 55
- kAudioChannelLayoutTag_DVD_15 constant 55
- kAudioChannelLayoutTag_DVD_16 constant 55
- kAudioChannelLayoutTag_DVD_17 constant 55
- kAudioChannelLayoutTag_DVD_18 constant 55
- kAudioChannelLayoutTag_DVD_19 constant 55
- kAudioChannelLayoutTag_DVD_2 constant 53
- kAudioChannelLayoutTag_DVD_20 constant 55
- kAudioChannelLayoutTag_DVD_3 constant 53
- kAudioChannelLayoutTag_DVD_4 constant 54
- kAudioChannelLayoutTag_DVD_5 constant 54
- kAudioChannelLayoutTag_DVD_6 constant 54
- kAudioChannelLayoutTag_DVD_7 constant 54
- kAudioChannelLayoutTag_DVD_8 constant 54
- kAudioChannelLayoutTag_DVD_9 constant 54
- kAudioChannelLayoutTag_Emagic_Default_7_1 constant 52
- kAudioChannelLayoutTag_Hexagonal constant 50
- kAudioChannelLayoutTag_ITU_1_0 constant 52
- kAudioChannelLayoutTag_ITU_2_0 constant 52
- kAudioChannelLayoutTag_ITU_2_1 constant 52
- kAudioChannelLayoutTag_ITU_2_2 constant 53
- kAudioChannelLayoutTag_ITU_3_0 constant 53
- kAudioChannelLayoutTag_ITU_3_1 constant 53
- kAudioChannelLayoutTag_ITU_3_2 constant 53
- kAudioChannelLayoutTag_ITU_3_2_1 constant 53
- kAudioChannelLayoutTag_ITU_3_4_1 constant 53
- kAudioChannelLayoutTag_MatrixStereo constant 49
- kAudioChannelLayoutTag_MidSide constant 49
- kAudioChannelLayoutTag_Mono constant 49
- kAudioChannelLayoutTag_MPEG_1_0 constant 50
- kAudioChannelLayoutTag_MPEG_2_0 constant 50
- kAudioChannelLayoutTag_MPEG_3_0_A constant 50
- kAudioChannelLayoutTag_MPEG_3_0_B constant 50
- kAudioChannelLayoutTag_MPEG_4_0_A constant 51
- kAudioChannelLayoutTag_MPEG_4_0_B constant 51
- kAudioChannelLayoutTag_MPEG_5_0_A constant 51
- kAudioChannelLayoutTag_MPEG_5_0_B constant 51
- kAudioChannelLayoutTag_MPEG_5_0_C constant 51
- kAudioChannelLayoutTag_MPEG_5_0_D constant 51
- kAudioChannelLayoutTag_MPEG_5_1_A constant 51
- kAudioChannelLayoutTag_MPEG_5_1_B constant 51
- kAudioChannelLayoutTag_MPEG_5_1_C constant 51
- kAudioChannelLayoutTag_MPEG_5_1_D constant 51
- kAudioChannelLayoutTag_MPEG_6_1_A constant 52
- kAudioChannelLayoutTag_MPEG_7_1_A constant 52
- kAudioChannelLayoutTag_MPEG_7_1_B constant 52
- kAudioChannelLayoutTag_MPEG_7_1_C constant 52
- kAudioChannelLayoutTag_Octagonal constant 50
- kAudioChannelLayoutTag_Pentagonal constant 50
- kAudioChannelLayoutTag_Quadraphonic constant 50
- kAudioChannelLayoutTag_SMPTE_DTV constant 52
- kAudioChannelLayoutTag_Stereo constant 49
- kAudioChannelLayoutTag_StereoHeadphones constant 49
- kAudioChannelLayoutTag_TMH_10_2_full constant 58
- kAudioChannelLayoutTag_TMH_10_2_std constant 58
- kAudioChannelLayoutTag_Unknown constant 59
- kAudioChannelLayoutTag_UseChannelBitmap constant 49
- kAudioChannelLayoutTag_UseChannelDescriptions constant 49
- kAudioChannelLayoutTag_XY constant 49
- kAudioFormat60958AC3 constant 22
- kAudioFormatAC3 constant 22
- kAudioFormatALaw constant 23
- kAudioFormatAMR constant 25
- kAudioFormatAppleIMA4 constant 22
- kAudioFormatAppleLossless constant 25
- kAudioFormatFlagIsAlignedHigh constant 26
- kAudioFormatFlagIsBigEndian constant 26

[kAudioFormatFlagIsFloat constant 26](#)
[kAudioFormatFlagIsNonInterleaved constant 27](#)
[kAudioFormatFlagIsNonMixable constant 27](#)
[kAudioFormatFlagIsPacked constant 26](#)
[kAudioFormatFlagIsSignedInteger constant 26](#)
[kAudioFormatFlagsAreAllClear constant 27](#)
[kAudioFormatFlagsCanonical constant 29](#)
[kAudioFormatFlagsNativeEndian constant 29](#)
[kAudioFormatFlagsNativeFloatPacked constant 29](#)
[kAudioFormatLinearPCM constant 22](#)
[kAudioFormatMACE3 constant 23](#)
[kAudioFormatMACE6 constant 23](#)
[kAudioFormatMIDIStream constant 24](#)
[kAudioFormatMPEG4AAC constant 23](#)
[kAudioFormatMPEG4AAC_HE constant 25](#)
[kAudioFormatMPEG4AAC_HE_V2 constant 25](#)
[kAudioFormatMPEG4AAC_LD constant 25](#)
[kAudioFormatMPEG4AAC_Spatial constant 25](#)
[kAudioFormatMPEG4CELP constant 23](#)
[kAudioFormatMPEG4HVXC constant 23](#)
[kAudioFormatMPEG4TwinVQ constant 23](#)
[kAudioFormatMPEGLayer1 constant 24](#)
[kAudioFormatMPEGLayer2 constant 24](#)
[kAudioFormatMPEGLayer3 constant 24](#)
[kAudioFormatParameterValueStream constant 24](#)
[kAudioFormatQDesign constant 23](#)
[kAudioFormatQDesign2 constant 24](#)
[kAudioFormatQUALCOMM constant 24](#)
[kAudioFormatTimeCode constant 24](#)
[kAudioFormatULaw constant 23](#)
[kAudioStreamAnyRate constant 21](#)
[kAudioTimeStampHostTimeValid constant 33](#)
[kAudioTimeStampRateScalarValid constant 33](#)
[kAudioTimeStampSampleHostTimeValid constant 33](#)
[kAudioTimeStampSampleTimeValid constant 33](#)
[kAudioTimeStampSMPTETimeValid constant 33](#)
[kAudioTimeStampWordClockTimeValid constant 33](#)
[kLinearPCMFormatFlagIsAlignedHigh constant 27](#)
[kLinearPCMFormatFlagIsBigEndian constant 27](#)
[kLinearPCMFormatFlagIsFloat constant 27](#)
[kLinearPCMFormatFlagIsNonInterleaved constant 27](#)
[kLinearPCMFormatFlagIsNonMixable constant 28](#)
[kLinearPCMFormatFlagIsPacked constant 27](#)
[kLinearPCMFormatFlagIsSignedInteger constant 27](#)
[kLinearPCMFormatFlagsAreAllClear constant 28](#)
[kMPEG4Object_AAC_LC constant 30](#)
[kMPEG4Object_AAC_LTP constant 30](#)
[kMPEG4Object_AAC_Main constant 30](#)
[kMPEG4Object_AAC_SBR constant 30](#)
[kMPEG4Object_AAC_Scalable constant 30](#)
[kMPEG4Object_AAC_SSR constant 30](#)

[kMPEG4Object_CELP constant 31](#)
[kMPEG4Object_HVXC constant 31](#)
[kMPEG4Object_TwinVQ constant 30](#)
[kSMPTETimeRunning constant 32](#)
[kSMPTETimeType24 constant 31](#)
[kSMPTETimeType25 constant 31](#)
[kSMPTETimeType2997 constant 32](#)
[kSMPTETimeType2997Drop constant 32](#)
[kSMPTETimeType30 constant 31](#)
[kSMPTETimeType30Drop constant 31](#)
[kSMPTETimeType5994 constant 32](#)
[kSMPTETimeType60 constant 32](#)
[kSMPTETimeValid constant 32](#)

M

[MPEG-4 Audio Object Type Constants 29](#)

S

[SMPTE State Flags 32](#)

[SMPTE Time Type Constants 31](#)

[SMPTETime structure 19](#)

T

[TestAudioFormatNativeEndian macro 11](#)