

Index

A

AddCollectionItem function 5-62
AddCollectionItemHdl function 5-92
all object validation 4-7
analyzing data streams 7-56 to 7-89
application heap 2-3 to 2-4
attribute bit masks
 for collection objects 5-52
attribute bit numbers
 for collection objects 5-50
attribute masks 5-10, 5-16, 5-49
attributes of collection objects 5-9, 5-9 to 5-11

B

bad parameter errors 3-9, 3-15
bad reference errors 3-17
bias (in fixed-point numbers) 8-6, 8-7 to 8-8
bit analysis 8-12, 8-32, 8-33 to 8-34, 8-62
bit-shifting of wide numbers 8-31 to 8-32

C

cache. *See* QuickDraw GX cache
cache validation errors 3-18
Cartesian and polar coordinates 8-10 to 8-11, 8-29, 8-56 to 8-57
CloneCollection function 5-56
'cltn' resource type 5-41
collection attributes 5-9
collection ID 5-8, 5-11
 determining 5-21
collection index 5-11
 determining 5-19
collection items
 adding to collection objects 5-17, 5-62
 attributes of 5-9
 collection index of 5-11
 defined 5-8
 determining collection index of 5-19
 determining size of variable-length data 5-22
 determining the collection tag and ID of 5-21
 editing attributes of 5-82
 getting attributes of 5-24

 identifying 5-11
 properties of 5-8
 removing 5-30, 5-65
 replacing 5-28, 5-63, 5-93
 retrieving data from 5-33, 5-71
 setting attributes of 5-24
 tag list position of 5-11
Collection Manager
 data types for 5-48 to 5-53
 functions in 5-53 to 5-99
 resources for 5-102
 testing for availability 5-13
collection objects
 adding items to 5-17, 5-62, 5-92
 allocate memory for and dispose of global data 5-54
 allocating memory for 5-54
 application-defined exception procedure 5-101
 application-defined flattening function 5-100
 attribute bit masks for 5-52
 attribute bit numbers for 5-50
 attribute masks for 5-10, 5-50
 cloning 5-14, 5-56
 copying 5-14, 5-57
 counting items in 5-69
 creating 5-14, 5-54
 default attributes of 5-10, 5-15
 defined 5-5
 determining owner count of 5-57
 disposing of 5-14, 5-55
 examining collection tags of 5-35, 5-87
 exception procedures for 5-8, 5-58
 flattening 5-37, 5-88, 5-97
 properties of 5-7
 purging 5-30, 5-67
 reading from disk 5-41
 reading from resource files 5-99
 removing items from 5-30, 5-65
 replacing items in 5-28, 5-63, 5-93
 unflattening 5-37, 5-90, 5-98
 writing to disk 5-41
collection resources 5-41, 5-44 to 5-45, 5-99, 5-102
CollectionTagExists function 5-85
collection tags 5-8, 5-11, 5-21, 5-49
ColorToFract macro 8-40
complete message override 6-6
compression type opcode 7-92
concatenation of mappings 8-13, 8-65
coordinates and coordinate spaces
 converting from QuickDraw 1-7 to 1-9, 1-28 to ??

CopyCollection function 5-57
 CopyToMapping function 8-63
 CountCollectionItems function 5-69
 CountCollectionOwners function 5-57
 CountCollectionTags function 5-86
 CountTaggedCollectionItems function 5-70
 creating a picture with seven shapes 7-56 to 7-59
 cursor
 obtaining location of, in global coordinates 1-8 to 1-9, 1-30
 obtaining location of, in local coordinates 1-9, 1-30

D

data stream format 7-5 to 7-53
 See also stream format
 data streams
 analyzing 7-53 to 7-90
 defined 7-5
 dead caches
 defined 2-11
 disposing of 2-11
 debugging 4-3 to 4-47
 corrupted objects 4-22
 environment 4-3
 shapes 4-8 to 4-15
 utility 4-23 to 4-28
 validation functions 4-15 to 4-22
 version of QuickDraw GX 4-5
 with GraphicsBug 4-23 to 4-28
 debugging version 3-13
 default attributes
 of collection objects 5-60
 DisposeCollection function 5-55
 DisposeMessageGlobals function 6-18
 drawing 4-8, 4-9
 analyzing problems 4-9
 intercepting with a view port filter 1-9, 1-31 to 1-33, 1-40 to 1-41
 drawing errors 4-8 to 4-15, 4-29 to 4-31, 4-33
 function 4-6
 ink 4-12
 sequence 4-9
 shape type 4-10
 style 4-11
 transform 4-13
 view device 4-15
 view port 4-14

E

EmptyCollection function 5-68
 error handler
 application-defined function 3-72
 installing 3-40 to 3-41
 error handlers 4-5
 error number summary 3-6, 3-14
 errors 3-3 to 3-76, 4-5
 application-defined handler for 3-74
 bad parameter 3-9, 3-15
 bad reference 3-17
 cache validation 3-18
 changing 3-35
 constants and data types for 3-42 to 3-50
 defined 3-3
 drawing 4-8 to 4-15, 4-29, 4-33
 fatal 3-7
 font management 3-8
 font scaler 3-8
 functions for 3-56 to 3-60
 handler for 3-74
 implementation limit 3-10
 ink drawing 4-12
 internal 3-7
 number summary 3-6, 3-14
 recoverable 3-7
 responding from application 3-40
 restricted access 3-16
 style drawing 4-11
 transform drawing 4-13
 validation 3-18
 view device drawing 4-15
 view port drawing 4-14
 wrong type 3-17
 errors, warnings, and notices 3-3 to 3-76
 application-defined functions for 3-72 to 3-74
 changing 3-35 to 3-37
 constants and data types for 3-42 to 3-55
 functions for 3-56 to 3-71
 number ranges for 3-55
 responding from application 3-40
 exception procedures 5-8, 5-45 to 5-48, 5-101

F

fatal errors 3-7
 ff macro 8-27, 8-38
 filter functions for view ports 1-9, 1-31 to 1-33, 1-40 to 1-41
 FirstBit function 8-33, 8-62
 FixedDivide function 8-43
 FixedMultiply function 8-42

Fixed number format 8-6
 fixed-point numbers
 conversions of 8-8
 formats of 8-6, 8-7
 operations on 8-7 to 8-8, 8-9 to 8-10, 8-27 to 8-28,
 8-42 to 8-54
 FixedRound macro 8-41
 FixedSquareRoot macro 8-42
 FixedToFloat macro 8-38
 FixedToFract macro 8-36
 FixedToInt macro 8-37
 FixedTruncate macro 8-41
 FlattenCollection function 5-88
 FlattenCollectionToHdl function 5-97
 flattening 5-100, 7-5
 FlattenPartialCollection function 5-89
 fl macro 8-39
 floating-point numbers
 conversions of 8-8
 formats of 8-6
 FloatToFixed macro 8-39
 FloatToFract macro 8-40
 font manager errors 3-8
 font scaler errors 3-8
 font scaler warnings 3-12
 ForwardMessage function 6-15 to 6-16, 6-24
 ForwardThisMessage function 6-15 to 6-16, 6-25
 FractCubeRoot function 8-47
 FractDivide function 8-48
 FractMultiply function 8-47
 fract number format 8-7, 8-35
 FractSineCosine function 8-46
 FractSquareRoot function 8-46
 FractToColor macro 8-41
 FractToFixed macro 8-37
 FractToFloat macro 8-40

G—GXB

'gasz' resource type 2-5 to 2-6
 GDevice record 1-7
 Gestalt function for QuickDraw GX 1-4 to 1-5, 1-22
 to 1-23
 gestaltMessageMgrVersion enumeration 6-16
 GetCollectionDefaultAttributes function 5-60
 GetCollectionExceptionProc function 5-58
 GetCollectionItem function 5-71
 GetCollectionItemHdl function 5-94
 GetCollectionItemInfo function 5-76
 GetIndexedCollectionItem function 5-72
 GetIndexedCollectionItemHdl function 5-96
 GetIndexedCollectionItemInfo function 5-78
 GetIndexedCollectionTag function 5-87

GetMessageHandlerClassContext function 6-12
 to 6-15, 6-22
 GetMessageHandlerInstanceContext
 function 6-10 to 6-12, 6-20
 GetNewCollection function 5-99
 GetRandomSeed function 8-33, 8-60
 GetTaggedCollectionItem function 5-74
 GetTaggedCollectionItemInfo function 5-80
 global data
 allocating and deallocating memory for 6-8 to 6-10
 creating an A5 world for 6-8 to 6-10
 for a single handler instance 6-10 to 6-12
 for multiple handler instances 6-12 to 6-15
 for printing extensions and printer drivers 6-7
 global space
 converting to, from QuickDraw 1-7 to 1-8, 1-29
 obtaining cursor location in 1-8 to 1-9, 1-30
 GraphicsBug 4-7 to 4-8, 4-23 to 4-28
 analyzing objects with 4-25 to 4-28
 commands 4-23 to 4-24
 flattening shapes with 7-54 to 7-55
 graphics client 2-4, 2-16 to 2-17
 changing the active 2-17, 2-26
 creating 2-5 to 2-9, 2-19
 defined 2-4
 disposing of 2-9 to 2-10, 2-21
 functions not requiring 2-14
 functions requiring 2-14
 multiple 2-16 to 2-17
 returning the active 2-17, 2-24
 starting location of 2-14 to 2-16
 graphics client heap 2-3 to 2-4, 2-4
 creating 2-5 to 2-9, 2-22
 default size 2-6
 defined 2-4
 disposing of 2-9 to 2-10, 2-23
 functions requiring 2-14
 memory requirements for 2-8 to 2-9
 size determination using GraphicsBug 2-8 to 2-9
 graphics devices
 and view devices 1-7, 1-27 to 1-28
 graphics ports
 and the QuickDraw-to-QuickDraw GX
 translator 1-10

GXC

gxColorValue number format 8-6, 8-35
 GXConvertPICTToShape function 1-20, 1-34
 GXConvertQDfont function 1-33
 GXConvertQDPoint function 1-7, 1-29

GXD

GXDisposeGraphicsClient function 2-9 to 2-10, 2-21
 gxDrawError type 4-31
 GXDrawShape function 4-17

GXE, GXF

GXEnterGraphics function 2-5 to 2-6, 2-7, 2-17, 2-22
 GXExitGraphics function 2-9 to 2-10, 2-23

GXG, GXH

GXGetGDeviceViewDevice function 1-28
 GXGetGlobalMouse function 1-8, 1-30
 GXGetGraphicsClient function 2-16 to 2-17, 2-24
 GXGetGraphicsClients function 2-16 to 2-17, 2-25
 GXGetGraphicsError function 3-56
 GXGetGraphicsNotice function 3-66
 GXGetGraphicsWarning function 3-60
 GXGetShapeDrawError function 4-8 to 4-15, 4-33
 ink drawing errors 4-12
 style errors 4-11
 transform drawing errors 4-13
 view device drawing errors 4-15
 view port drawing errors 4-14
 GXGetUserGraphicsError function 3-40, 3-59
 GXGetUserGraphicsNotice function 3-40, 3-69
 GXGetUserGraphicsWarning function 3-40, 3-63
 GXGetValidationError function 4-21 to 4-22, 4-35
 GXGetValidation function 4-15, 4-35
 GXGetViewDeviceGDevice function 1-7, 1-27
 GXGetViewPortFilter function 1-9, 1-32
 GXGetViewPortMouse function 1-9, 1-30
 GXGetViewPortWindow function 1-25
 GXGetWindowViewPort function 1-26
 gxGraphicErrors enumeration 3-42
 gxGraphicNotices enumeration 3-53
 gxGraphicsError type 3-42
 gxGraphicsNotice type 3-53
 gxGraphicsWarning type 3-50
 gxGraphicWarnings enumeration 3-50

GXI—GXK

GXIgnoreGraphicsNotice function 3-37 to 3-40, 3-70

GXIgnoreGraphicsWarning function 3-37 to 3-40, 3-64
 GXInstallQDTranslator function 1-21, 1-36

GXL, GXM

GXLoadColorProfile function 2-34
 GXLoadColorSet function 2-32
 GXLoadInk function 2-29
 GXLoadShape function 2-13, 2-26
 GXLoadStyle function 2-28
 GXLoadTag function 2-35
 GXLoadTransform function 2-31
 gxMapping structure 8-36

GXN, GXO

GXNewGraphicsClient function 2-5 to 2-6, 2-6 to 2-8, 2-14 to 2-16, 2-17, 2-19
 GXNewWindowViewPort function 1-6, 1-24

GXP—GXR

gxPolar structure 8-35
 GXPopGraphicsNotice function 3-37, 3-38, 3-71
 GXPopGraphicsWarning function 3-37, 3-38, 3-65
 GXPostGraphicsError function 3-35, 3-57
 GXPostGraphicsNotice function 3-35, 3-67
 GXPostGraphicsWarning function 3-35, 3-61
 GXRemoveQDTranslator function 1-21, 1-39

GXS

GXSetGraphicsClient function 2-16 to 2-17, 2-26
 GXSetUserGraphicsError function 3-40, 3-58
 GXSetUserGraphicsNotice function 3-40, 3-68
 GXSetUserGraphicsWarning function 3-40, 3-62
 GXSetValidation function 4-15, 4-16, 4-17, 4-20, 4-34
 GXSetViewPortFilter function 1-9, 1-31
 gxShapeSpoolFunction type 1-37

GXT

gxTranslationOptions enumeration 1-23
 gxTranslationOption type 1-23
 gxTranslationStatistics enumeration 1-24

`gxTranslationStatistic` type 1-24

GXU

`GXUnloadColorProfile` function 2-35
`GXUnloadColorSet` function 2-33
`GXUnloadInk` function 2-30
`GXUnloadShape` function 2-13, 2-27
`GXUnloadStyle` function 2-29
`GXUnloadTag` function 2-36
`GXUnloadTransform` function 2-32
`gxUserViewPortFilter` type 1-31

GXV—GXZ

`GXValidateAll` function 4-20, 4-43
`GXValidateColorProfile` function 4-20, 4-39
`GXValidateColorSet` function 4-20, 4-38
`GXValidateGraphicsClient` function 4-21, 4-42
`GXValidateInk` function 4-21, 4-37
`GXValidateShape` function 4-21, 4-36
`GXValidateStyle` function 4-21, 4-36
`GXValidateTag` function 4-21, 4-39
`GXValidateTransform` function 4-21, 4-38
`GXValidateViewDevice` function 4-21, 4-40
`GXValidateViewGroup` function 4-21, 4-41
`GXValidateViewPort` function 4-21, 4-40
`gxValidationLevel` constant 4-31 to 4-32

H

handlers

- error 3-72, 4-5
- notice 3-74, 4-5
- warning 3-73, 4-5

heap. *See* application heap; graphics client heap

highest order bit 8-12, 8-32, 8-33 to 8-34, 8-62

I—K

identity mapping 8-16, 8-34, 8-64

ignoring warnings and notices 3-37

implementation limit errors 3-10

instance 6-7

integer numbers

- conversions of 8-8
- formats of 8-6

interface. *See* Macintosh interface functions

internal errors 3-7

internal validation 4-6

`IntToFixed` macro 8-27, 8-37

invalid data warnings 3-26

inverse of a mapping 8-17, 8-65

`InvertMapping` function 8-65

L

linear and quadratic roots 8-12, 8-60 to 8-61

`LinearRoot` function 8-60

live caches

- defined 2-11

- disposing of 2-11

Loading 2-26

local space

- converting to, from `QuickDraw` 1-7 to 1-8, 1-29

- obtaining cursor location in 1-9, 1-30

lock attribute 5-9

long number format 8-6

M

Macintosh environment 1-3 to 1-45

Macintosh interface functions 1-3, 1-6 to 1-9

macros for number conversion 8-8 to 8-9, 8-26 to 8-27, 8-36 to 8-42

`MacsBug` 4-7 to 4-8

`Magnitude` function 8-28, 8-45

`MapMapping` function 8-65

mappings 8-12 to 8-26, 8-62 to 8-72

- changing perspective with 8-13, 8-26

- concatenating 8-13, 8-65

- defined 8-12

- identity 8-16

- inverse of 8-17, 8-65

- normalized 8-16, 8-64

- postmultiplication of 8-13, 8-66

- reflection with 8-22

- resetting to identity 8-34, 8-64

- rotation with 8-13, 8-22 to 8-23, 8-70

- scaling with 8-13, 8-20 to 8-22, 8-69

- setting origin with 8-18 to 8-19, 8-68

- skewing with 8-13, 8-24 to 8-25, 8-71

- translation with 8-13, 8-17 to 8-19, 8-67 to 8-69

`MapPoints` function 8-66

mathematical functions 8-9 to 8-12, 8-27 to 8-34, 8-42 to 8-62

- bit analysis 8-12, 8-32, 8-33 to 8-34, 8-62

- bit-shifting of wide numbers 8-31 to 8-32

fixed-point operations 8-9 to 8-10, 8-27 to 8-28, 8-42 to 8-54

linear and quadratic roots 8-12, 8-60 to 8-61

operations on wide numbers 8-10, 8-31 to 8-32, 8-32, 8-49 to 8-54

polar and Cartesian coordinates 8-10 to 8-11, 8-29, 8-56 to 8-57

random-number generation 8-11 to 8-12, 8-33, 8-58 to 8-60

. *See also* mathematics

vector operations 8-10, 8-29 to 8-30, 8-45, 8-54 to 8-55

mathematics 8-5 to 8-76

constants and data types for 8-35 to 8-36

mapping operations. *See* mappings

mathematical functions. *See* mathematical functions

number-conversion macros 8-8 to 8-9, 8-26 to 8-27, 8-36 to 8-42

number formats 8-5 to 8-7

matrices. *See* mappings

memory

- low 2-10 to 2-12

memory blocks

- allocating 2-4, 2-5, 2-8, 2-11 to 2-12, 2-22
- deallocating 2-4, 2-9 to 2-10, 2-21, 2-23

memory management 2-3 to 2-39

- data structures for 2-18
- functions for 2-18 to 2-37
- loading objects 2-4, 2-13
- low-memory conditions, handling 2-10 to 2-11
- unloading objects 2-4, 2-11, 2-13
- unloading picture shape objects 2-11
- using shape attributes 2-11

Memory Manager 2-4

message class 6-7

MessageGlobalsInitProc type 6-16

message handlers

- default defined 6-6
- defined 6-6
- instance of a single 6-10 to 6-12
- instances of multiple 6-12 to 6-15

Message Manager 6-3 to 6-6

- application-defined functions for 6-26
- constants and data types for 6-16
- defined 6-4
- functions for 6-17 to 6-25
- message sending and forwarding 6-7
- message terminology 6-6 to 6-7

message object 6-6

messages

- defined 6-6
- QuickDraw GX 6-4 to 6-6
- sending and forwarding 6-15

mouse. *See* cursor

MoveMapping function 8-18, 8-67

MoveMappingTo function 8-19, 8-68

MultiplyDivide function 8-28, 8-44

MyInitProc application-defined function 6-26

MyShapeSpooler application-defined function 1-41

MyUserGraphicsError application-defined function 3-72

MyUserGraphicsNotice application-defined function 3-74

MyUserGraphicsWarning application defined function 3-73

MyViewPortFilter application-defined function 1-40

N

NewCollection function 5-54

NewMessageGlobals function 6-8 to 6-10, 6-17

non-debugging environment 4-3

non-debugging version 3-5 to 3-6

normalization of mappings 8-16, 8-64

NormalizeMapping function 8-64

notice handler

- application-defined function 3-74

notice handlers 4-5

notice number summary 3-27

notices 3-3 to 3-76, 4-5

- changing 3-35
- constants and data types for 3-53 to 3-54
- defined 3-3
- functions for 3-66 to 3-71
- ignoring 3-37 to 3-40
- number summary 3-27
- responding from application 3-40

number-conversion macros 8-8 to 8-9, 8-26 to 8-27, 8-36 to 8-42

number formats 8-5 to 8-7

- fixed-point 8-6, 8-7
- floating-point 8-6
- integer 8-6

O

objects

- functions for 2-26 to 2-37
- loading and unloading 2-4, 2-11, 2-11 to 2-12
- . *See also* collection objects

omit byte

- defined 7-22

omit byte mask 7-99 to 7-130

- defined 7-23

omit byte mask and shift

- bit image 7-120

- bitmap shape 7-116 to 7-119
- cap style 7-104 to 7-105
- colors 7-108 to 7-109
- dash style 7-99, 7-101, 7-103
- face layer 7-106 to 7-108
- glyph shape 7-122 to 7-124
- join style 7-103 to 7-104
- layout shape 7-125 to 7-129
- path shape 7-115
- pattern style 7-101, 7-102, 7-103
- picture parameters 7-130
- picture shape 7-129
- text face style 7-105 to 7-106
- text shape 7-121 to 7-122
- transfer 7-110 to 7-112
- transfer component 7-112 to 7-114
- omit byte shifts 7-23, 7-99 to 7-130
- opcodes 7-91 to 7-99
- optional return value constants
 - for Collection Manager functions 5-49
- origin, setting with a mapping 8-18 to 8-19, 8-68
- overflow warnings 3-11

P

- parameter out of range warnings 3-12
- partial message override 6-6
- patterns
 - QuickDraw, translated to shape fill 1-16 to 1-17
- PDD. *See* portable digital documents
- persistence attribute 5-9
- perspective operations
 - with a mapping 8-13, 8-26
- picComment. *See* picture comments
- PICT data. *See* QuickDraw pictures
- picture comments
 - translating to QuickDraw GX 1-17 to 1-19
- pictures. *See* QuickDraw pictures
- PointToPolar function 8-29, 8-57
- polar and Cartesian coordinates 8-10 to 8-11, 8-29, 8-56 to 8-57
- PolarToPoint function 8-29, 8-56
- portable digital document 7-53
 - defined 7-53
- postmultiplication of mappings 8-13, 8-66
- print files 7-51 to 7-52
 - defined 7-51
 - obtaining data from 7-89 to 7-90
 - QuickDraw picture data in 7-53
- printing
 - with QuickDraw GX 6-4 to 6-6
 - with the Macintosh Printing Manager 6-4
- programming environment

- and Gestalt 1-4 to 1-5, 1-22 to 1-23
- public validation 4-6
- PurgeCollection function 5-67
- PurgeCollectionTag function 5-68

Q

- quadratic and linear roots 8-12, 8-60 to 8-61
- QuadraticRoot function 8-61
- QuickDraw 4-5
 - converting coordinates from 1-7 to 1-9, 1-28 to ??
- QuickDraw GX
 - debugging version 3-3, 3-13
 - determining version and attributes of 1-4 to 1-5, 1-22 to 1-23
 - non-debugging version 3-3, 3-4, 3-5 to ??
- QuickDraw GX cache
 - defined 2-11
 - disposing of 2-11 to 2-12
- QuickDraw pictures
 - translating to QuickDraw GX 1-20, 1-34 to 1-36
- QuickDraw-to-QuickDraw GX translator 1-4, 1-10 to 1-22
 - application-defined function for 1-21 to 1-22, 1-41 to 1-42
 - functions using 1-33 to 1-38
 - graphics port and view port relationship 1-10
 - installing and removing 1-21
 - QuickDraw fill patterns and 1-16 to 1-17
 - QuickDraw picture comments and 1-17 to 1-19
 - scaling with 1-11
 - statistics for 1-20, 1-24
 - translation options 1-11 to 1-16, 1-23
 - list of 1-11 to 1-13
 - use of, for drawing lines 1-14 to 1-16
 - using, to intercept drawing calls 1-21 to 1-22, 1-36 to 1-39
 - using, to translate QuickDraw picture data 1-20, 1-34 to 1-36

R

- RandomBits function 8-58
- random-number generation 8-11 to 8-12, 8-33, 8-58 to 8-60
- recoverable errors 3-7
- reflection transformations 8-22
- RemoveCollectionItem function 5-65
- RemoveIndexedCollectionItem function 5-66
- ReplaceIndexedCollectionItem function 5-63

ReplaceIndexedCollectionItemHdl
 function 5-93
 ResetMapping function 8-34, 8-64
 resource types
 'cltn' 5-41, 5-44, 5-102
 'gasz' 2-6, 2-20
 resource types 'gasz' 2-5 to 2-6
 restricted access errors 3-16
 result out of range warnings 3-11
 RotateMapping function 8-22, 8-34, 8-70
 rotation operations
 with a mapping 8-13, 8-22 to 8-23, 8-70

S

ScaleMapping function 8-21, 8-69
 scaling operations
 reflection 8-22
 with a mapping 8-13, 8-20 to 8-22, 8-69
 with the QuickDraw-to-QuickDraw GX
 translator 1-11
 SendMessage function 6-15 to 6-16, 6-23
 SetCollectionDefaultAttributes function 5-61
 SetCollectionExceptionProc function 5-59
 SetCollectionItemInfo function 5-82
 SetIndexedCollectionItemInfo function 5-84
 SetMessageHandlerClassContext function 6-12
 to 6-15, 6-21
 SetMessageHandlerInstanceContext
 function 6-10 to 6-12, 6-19
 SetRandomSeed function 8-33, 8-59
 shape-spooling callback function for translator 1-21 to
 1-22
 short number format 8-6
 skewing operations
 with a mapping 8-13, 8-24 to 8-25, 8-71
 SkewMapping function 8-24, 8-71
 specific object validation 4-7
 storage warnings 3-13
 stream data types 7-7
 stream format 7-5 to 7-53
 analyzing a flattened bitmap shape 7-81
 analyzing a flattened curve shape 7-67 to 7-68
 analyzing a flattened line shape 7-60 to 7-63
 analyzing a flattened path shape 7-69 to 7-71
 analyzing a flattened polygon shape 7-79 to 7-81
 analyzing a flattened rectangle shape 7-64 to 7-66
 analyzing a flattened text shape 7-72 to 7-78
 data type opcode byte 7-13 to 7-14
 header 7-27 to 7-28
 omit byte 7-22
 operation opcode byte 7-10
 print files 7-51 to 7-52

stream format opcodes
 bit image compression 7-98
 data type 7-91, 7-92
 ink data 7-96
 modified color profile data 7-97
 modified color set data 7-96
 modified shape data 7-93
 modified style data 7-94
 modified transform data 7-98
 operation 7-92
 structure validation 4-7

T

tag list position 5-11
 threads package 2-17
 translation operations
 with a mapping 8-13, 8-17 to 8-19, 8-67 to 8-69
 translator. *See* QuickDraw-to-QuickDraw GX
 translator
 type validation 4-7

U

underflow warnings 3-11
 unexpected result warnings 3-13
 UnflattenCollectionFromHdl function 5-98
 UnflattenCollection function 5-90
 unflattened
 defined 7-5
 user attributes
 of collection objects 5-9
 utility
 GraphicsBug 4-7 to 4-8
 MacsBug 4-7 to 4-8

V

validation
 all object 4-7, 4-20 to 4-21, 4-43
 controlling 4-15 to 4-20
 distinguishing public and internal errors 4-22
 error analysis 4-21 to 4-22
 functions 4-15 to 4-22, 4-34 to 4-43
 internal 4-6, 4-15 to 4-20
 internal cache 4-15 to 4-20
 level 4-31 to 4-32
 public 4-6, 4-15 to 4-20
 specific object 4-7, 4-36 to 4-42

- structure 4-7, 4-15 to 4-20
 - type 4-15 to 4-20
- validation errors 3-18
- validation functions 4-6 to 4-7, 4-15 to 4-22, 4-34 to 4-43
- variable-length data
 - determining size of 5-22
 - of collection objects 5-9
 - retrieving from a collection item 5-33, 5-71, 5-94
- VectorMultiplyDivide function 8-55
- VectorMultiply function 8-29, 8-54
- vector operations 8-10, 8-29 to 8-30, 8-45, 8-54 to 8-55
- version
 - debugging 3-13
 - non-debugging 3-5 to 3-6
- version number of Message Manager 6-8
- version numbers of QuickDraw GX 1-4 to 1-5, 1-22 to 1-23
- view device objects
 - and graphics devices 1-7, 1-27 to 1-28
- view port objects
 - and windows 1-6, 1-24 to 1-27
 - installing a drawing filter in 1-9, 1-31 to 1-33, 1-40 to 1-41
- WideScale function 8-32, 8-53
- WideShift function 8-31, 8-51
- WideSquareRoot function 8-53
- wide structure 8-35
- WideSubtract function 8-50
- WideWideDivide function 8-52
- windows
 - and view ports 1-6, 1-24 to 1-27
- wrong type errors 3-17

W, X, Y, Z

- warning handler
 - application-defined function 3-73
- warning handlers 4-5
- warning number summary 3-10, 3-25
- warnings 3-3 to 3-76, 4-5
 - changing 3-35
 - constants and data types for 3-50 to 3-52
 - defined 3-3
 - font scaler 3-12
 - functions for 3-60 to 3-65
 - ignoring 3-37 to 3-40
 - invalid data 3-26
 - number summary 3-10, 3-25
 - overflow 3-11
 - parameter out of range 3-12
 - result out of range 3-11
 - storage 3-13
 - underflow 3-11
 - unexpected result 3-13
- WideAdd function 8-49
- WideCompare function 8-54
- WideDivide function 8-31, 8-52
- WideMultiply function 8-31, 8-51
- WideNegate function 8-50
- wide number format 8-7
 - assigning values to 8-7
 - operations on 8-10, 8-31 to 8-32, 8-32, 8-49 to 8-54