

# Contents

|           |   |       |
|-----------|---|-------|
|           | Figures, Tables, and Listings                         | xiii  |
| Preface   | About This Book                                       | xix   |
|           | What to Read  | xx    |
|           | Chapter Organization                                  | xxi   |
|           | Conventions Used in This Book                         | xxii  |
|           | Special Fonts   | xxii  |
|           | Types of Notes  | xxii  |
|           | Numerical Formats                                     | xxiii |
|           | Type Definitions for Enumerations                     | xxiii |
|           | Development Environment                               | xxiii |
|           | Developer Products and Support                        | xxiv  |
| Chapter 1 | QuickDraw GX and the Macintosh Environment            | 1-1   |
|           | About QuickDraw GX and the Macintosh Environment      | 1-3   |
|           | The Macintosh Interface                               | 1-3   |
|           | The QuickDraw-to-QuickDraw GX Translator              | 1-4   |
|           | Using QuickDraw GX in the Macintosh Environment       | 1-4   |
|           | Testing for the Presence and Version of QuickDraw GX  | 1-4   |
|           | Using the Macintosh Interface Functions               | 1-6   |
|           | Creating and Using View Ports with Macintosh Windows  | 1-6   |
|           | Using View Devices With Graphics Devices              | 1-7   |
|           | Converting From QuickDraw to QuickDraw GX Coordinates | 1-7   |
|           | Intercepting Drawing Calls to a View Port             | 1-9   |
|           | Using the QuickDraw-to-QuickDraw GX Translator        | 1-10  |
|           | Factors in Translation                                | 1-10  |
|           | Graphics Port and View Port                           | 1-10  |
|           | Scaling During Translation                            | 1-11  |
|           | Translation Options                                   | 1-11  |
|           | How Option Settings Affect Translation of Lines       | 1-14  |
|           | Translation of Fill Patterns                          | 1-16  |
|           | Translation of QuickDraw Picture Comments             | 1-17  |
|           | Translation Statistics                                | 1-20  |
|           | Using the Translator With QuickDraw Pictures          | 1-20  |
|           | Installing and Removing the Translator                | 1-21  |
|           | QuickDraw GX and the Macintosh Environment Reference  | 1-22  |
|           | Constants and Data Types                              | 1-22  |
|           | Gestalt Selectors and Attributes                      | 1-22  |
|           | Translator Options and Statistics                     | 1-23  |

|  |      |      |
|--|------|------|
| Macintosh Interface Functions                            | 1-24 |      |
| Associating View Ports With Macintosh Windows            | 1-24 |      |
| Associating View Devices With Macintosh Graphics Devices |      | 1-27 |
| Converting From QuickDraw to QuickDraw GX Coordinates    |      | 1-28 |
| Installing a View Port Filter                            | 1-31 |      |
| QuickDraw-to-QuickDraw GX Translator Functions           | 1-33 |      |
| Converting a GrafPort Font and Face Specification        | 1-33 |      |
| Converting QuickDraw Pictures                            | 1-34 |      |
| Installing and Removing the Translator                   | 1-36 |      |
| Application-Defined Functions                            | 1-40 |      |
| Filtering Drawing Calls to a View Port                   | 1-40 |      |
| Handling Translated QuickDraw Data                       | 1-41 |      |
| Summary of QuickDraw GX and the Macintosh Environment    |      | 1-43 |
| Constants and Data Types                                 | 1-43 |      |
| Macintosh Interface Functions                            | 1-44 |      |
| QuickDraw-to-QuickDraw GX Translator Functions           |      | 1-44 |
| Application-Defined Functions                            | 1-45 |      |

## Chapter 2

## QuickDraw GX Memory Management 2-1

---

|  |      |     |
|--|------|-----|
| About QuickDraw GX Memory Management                       | 2-3  |     |
| Memory Heaps   | 2-3  |     |
| Graphics Clients and Graphics Client Heaps                 | 2-4  |     |
| Additional Topics  | 2-5  |     |
| Using Graphics Clients and Graphics Client Heaps           | 2-5  |     |
| Creating a Graphics Client and Its Graphics Client Heap    | 2-5  |     |
| Implicit Creation  | 2-5  |     |
| Explicit Creation  | 2-6  |     |
| Determining Memory Requirements for a Graphics Client Heap |      | 2-8 |
| Disposing of a Graphics Client and Graphics Client Heap    |      | 2-9 |
| Additional Memory Management Topics                        | 2-10 |     |
| Low-Memory Conditions                                      | 2-10 |     |
| Freeing Up Already Allocated Memory                        | 2-11 |     |
| Allocating New Memory and Unloading Objects                | 2-11 |     |
| Functions That Create Additional Memory Demands            | 2-12 |     |
| Loading and Unloading Objects                              | 2-12 |     |
| Functions That Do Not Require a Graphics Client or Heap    | 2-14 |     |
| Specifying the Starting Location of a Graphics Client      | 2-14 |     |
| Working With Multiple Graphics Clients                     | 2-16 |     |
| QuickDraw GX Memory Management Reference                   | 2-17 |     |
| Constants and Data Types                                   | 2-18 |     |
| Graphics Client Object                                     | 2-18 |     |
| Graphics Client Attributes                                 | 2-18 |     |
| Functions  | 2-18 |     |
| Creating and Disposing of a Graphics Client                | 2-19 |     |
| Allocating and Disposing of a Graphics Client Heap         | 2-22 |     |

|   |      |
|---|------|
| Working With Multiple Graphics Clients    | 2-24 |
| Loading and Unloading Objects             | 2-26 |
| Summary of QuickDraw GX Memory Management | 2-38 |
| Constants and Data Types                  | 2-38 |
| Functions                                 | 2-38 |

## Chapter 3

## Errors, Warnings, and Notices 3-1

---

|  |      |
|--|------|
| About QuickDraw GX Errors, Warnings, and Notices | 3-3  |
| Non-Debugging Version                            | 3-5  |
| Errors   | 3-6  |
| Warnings   | 3-10 |
| Debugging Version                                | 3-13 |
| Errors   | 3-14 |
| Warnings   | 3-25 |
| Notices  | 3-27 |
| Using Errors, Warnings, and Notices              | 3-30 |
| Obtaining Errors, Warnings, and Notices          | 3-30 |
| Changing the Error, Warning, or Notice Posted    | 3-35 |
| Ignoring Warnings and Notices                    | 3-37 |
| Installing an Error, Warning, or Notice Handler  | 3-40 |
| Errors, Warnings, and Notices Reference          | 3-42 |
| Constants and Data Types                         | 3-42 |
| Errors   | 3-42 |
| Warnings   | 3-50 |
| Notices  | 3-53 |
| Error, Warning, and Notice Number Ranges         | 3-55 |
| Functions  | 3-56 |
| Error Posting and Handling                       | 3-56 |
| Warning Posting and Handling                     | 3-60 |
| Notice Posting and Handling                      | 3-66 |
| Application-Defined Functions                    | 3-72 |
| Summary of Errors, Warnings, and Notices         | 3-75 |
| Constants and Data Types                         | 3-75 |
| Functions  | 3-75 |
| Application-Defined Functions                    | 3-76 |

## Chapter 4

## QuickDraw GX Debugging 4-1

---

|   |     |
|---|-----|
| About QuickDraw GX Debugging                            | 4-3 |
| Debugging Version of QuickDraw GX                       | 4-5 |
| QuickDraw GX Errors, Warnings, and Notices              | 4-5 |
| Application-Defined Error, Warning, and Notice Handlers | 4-5 |
| The Drawing Error Function                              | 4-6 |

|   |      |
|---|------|
| Validation Functions  | 4-6  |
| MacBug and GraphicsBug  | 4-7  |
| Using QuickDraw GX Debugging                                  | 4-8  |
| Analyzing Drawing Problems                                    | 4-8  |
| Using Validation Functions                                    | 4-15 |
| Controlling Validation  | 4-15 |
| Validating Objects  | 4-20 |
| Analyzing the Cause of Validation Errors                      | 4-21 |
| Distinguishing Between Application Bugs and QuickDraw GX Bugs | 4-22 |
| Detecting Corrupted Objects                                   | 4-22 |
| Debugging With GraphicsBug                                    | 4-23 |
| Analyzing a Picture Shape                                     | 4-25 |
| QuickDraw GX Debugging Reference                              | 4-28 |
| Constants and Data Types                                      | 4-28 |
| Drawing Errors  | 4-29 |
| Validation Levels   | 4-31 |
| Functions   | 4-33 |
| Obtaining Drawing Errors                                      | 4-33 |
| Setting and Getting Validation Options and Errors             | 4-34 |
| Validating Objects  | 4-36 |
| Summary of QuickDraw GX Debugging                             | 4-44 |
| Constants and Data Types                                      | 4-44 |
| Functions   | 4-47 |

## Chapter 5

## Collection Manager 5-1

---

|   |      |
|---|------|
| About the Collection Manager                            | 5-5  |
| Collection Objects                                      | 5-5  |
| Collection Items  | 5-8  |
| Collection Attributes                                   | 5-9  |
| Methods of Identifying Collection Items                 | 5-11 |
| Using the Collection Manager                            | 5-12 |
| Determining Whether the Collection Manager Is Available | 5-13 |
| Creating or Disposing of a Collection                   | 5-14 |
| Cloning or Copying a Collection                         | 5-14 |
| Changing the Default Attributes of a Collection         | 5-15 |
| Adding Items to a Collection                            | 5-17 |
| Determining the Collection Index of an Item             | 5-19 |
| Determining the Tag and ID of an Item                   | 5-21 |
| Determining the Size of an Item's Variable-Length Data  | 5-22 |
| Getting and Setting the Attributes of an Item           | 5-24 |
| Replacing Items in a Collection                         | 5-28 |
| Removing Items From a Collection                        | 5-30 |
| Retrieving the Variable-Length Data From an Item        | 5-33 |
| Examining the Collection Tags of a Collection           | 5-35 |

|  |       |      |
|--|-------|------|
| Flattening and Unflattening a Collection                     | 5-37  |      |
| Reading Collections From and Writing Collections to Disk     |       | 5-41 |
| Reading a Collection From a Collection Resource              | 5-44  |      |
| Installing an Exception Procedure                            | 5-45  |      |
| Collection Manager Reference                                 | 5-48  |      |
| Data Types   | 5-48  |      |
| Collection Objects   | 5-48  |      |
| Collection Tags  | 5-49  |      |
| Optional Return Value Constants                              | 5-49  |      |
| Attributes Masks   | 5-49  |      |
| Attribute Bit Numbers  | 5-50  |      |
| Attribute Bit Masks  | 5-52  |      |
| Functions  | 5-53  |      |
| Creating and Disposing of Collection Objects                 | 5-53  |      |
| Cloning and Copying Collection Objects                       | 5-55  |      |
| Getting and Setting the Exception Procedure for a Collection |       | 5-58 |
| Getting and Setting the Default Attributes for a Collection  |       | 5-60 |
| Adding and Replacing Items in a Collection                   | 5-62  |      |
| Removing Items From a Collection                             | 5-65  |      |
| Counting Items in a Collection                               | 5-69  |      |
| Retrieving the Variable-Length Data From an Item             | 5-70  |      |
| Getting Information About a Collection Item                  | 5-76  |      |
| Editing Item Attributes                                      | 5-82  |      |
| Getting Information About Collection Tags                    | 5-85  |      |
| Flattening and Unflattening a Collection                     | 5-88  |      |
| Working With Macintosh Memory Manager Handles                |       | 5-92 |
| Reading Collections From Resource Files                      | 5-98  |      |
| Application-Defined Functions                                | 5-100 |      |
| Resources  | 5-102 |      |
| The Collection Resource                                      | 5-102 |      |
| Summary of the Collection Manager                            | 5-104 |      |
| Data Types   | 5-104 |      |
| Functions  | 5-106 |      |
| Application-Defined Functions                                | 5-110 |      |
| Resources  | 5-110 |      |

## Chapter 6

## Message Manager 6-1

---

|   |     |      |
|---|-----|------|
| About the Message Manager                                       | 6-4 |      |
| Message Terminology   | 6-6 |      |
| Global Data Storage for Printing Extensions and Printer Drivers |     | 6-7  |
| Message Sending and Forwarding                                  | 6-7 |      |
| Using the Message Manager                                       | 6-8 |      |
| Determining the Version of the Message Manager                  | 6-8 |      |
| Allocating Memory for and Disposing of Global Data              | 6-8 |      |
| Setting and Getting Global Data for a Single Handler Instance   |     | 6-10 |

|  |      |
|--|------|
| Setting and Getting Global Data for Multiple Handler Instances | 6-12 |
| Sending and Forwarding Messages                                | 6-15 |
| Message Manager Reference                                      | 6-16 |
| Constants and Data Types                                       | 6-16 |
| Message Manager Gestalt Selector                               | 6-16 |
| Message Globals Initialization Procedure                       | 6-16 |
| Functions  | 6-17 |
| Allocating Memory for and Disposing of Global Data             | 6-17 |
| Setting and Getting Global Data for a Single Handler Instance  | 6-19 |
| Setting and Getting Global Data for Multiple Handler Instances | 6-21 |
| Sending and Forwarding Messages                                | 6-22 |
| Driver- or Extension-Defined Functions                         | 6-26 |
| Summary of the Message Manager                                 | 6-27 |
| Constants and Data Types                                       | 6-27 |
| Functions  | 6-27 |
| Application-Defined Functions                                  | 6-28 |

## Chapter 7

## QuickDraw GX Stream Format 7-1

---

|                                      |      |
|--------------------------------------|------|
| About QuickDraw GX Stream Format     | 7-5  |
| Characteristics                      | 7-6  |
| Stream Design                        | 7-7  |
| Operation Opcode Byte                | 7-10 |
| Operation Opcode                     | 7-10 |
| Record Size                          | 7-11 |
| Data Type Opcode Byte                | 7-13 |
| Compression Type Opcode              | 7-13 |
| Data Type Opcode                     | 7-15 |
| Data                                 | 7-22 |
| Omit Byte Masks and Omit Byte Shifts | 7-22 |
| Header Data                          | 7-27 |
| New Shape Object Data                | 7-28 |
| Modified Shape Object Data           | 7-34 |
| New Style Object Data                | 7-35 |
| Modified Style Object Data           | 7-36 |
| New Ink Object Data                  | 7-43 |
| Modified Ink Object Data             | 7-43 |
| New Object Transform Data            | 7-45 |
| Modified Transform Object Data       | 7-45 |
| New Color Profile Object Data        | 7-47 |
| Modified Color Profile Object Data   | 7-47 |
| New Color Set Object Data            | 7-48 |
| Modified Color Set Object Data       | 7-48 |
| New Tag Object Data                  | 7-49 |
| New Bit Image Object Data            | 7-49 |

|  |       |       |
|--|-------|-------|
| New Font Name Data                               | 7-50  |       |
| New Trailer Object Data                          | 7-51  |       |
| About Print Files and Portable Digital Documents |       | 7-51  |
| Print Files                                      | 7-51  |       |
| Portable Digital Documents                       | 7-53  |       |
| Using QuickDraw GX Stream Format                 | 7-53  |       |
| Flattening Shapes With GraphicsBug               | 7-54  |       |
| Analyzing the Data Streams of Flattened Shapes   |       | 7-56  |
| Creating a Picture With Seven Shapes             | 7-56  |       |
| Analyzing a Flattened Line Shape                 | 7-60  |       |
| Analyzing a Flattened Rectangle Shape            | 7-64  |       |
| Analyzing a Flattened Curve Shape                | 7-67  |       |
| Analyzing a Flattened Path Shape                 | 7-69  |       |
| Analyzing a Flattened Text Shape                 | 7-72  |       |
| Analyzing a Flattened Polygon Shape              | 7-79  |       |
| Analyzing a Flattened Bitmap Shape               | 7-81  |       |
| Obtaining Data From a Print File                 | 7-89  |       |
| QuickDraw GX Stream Format Reference             | 7-91  |       |
| Opcode Constants and Data Types                  | 7-91  |       |
| Operation Opcode Byte                            | 7-91  |       |
| Data Type Opcode Byte                            | 7-92  |       |
| Generic Data Opcode                              | 7-92  |       |
| Bit Image Compression Opcode Byte                | 7-93  |       |
| Modified Shape Data Opcodes                      | 7-93  |       |
| Modified Style Data Opcodes                      | 7-94  |       |
| Modified Ink Data Opcodes                        | 7-96  |       |
| Modified Color Set Data Opcodes                  | 7-96  |       |
| Modified Color Profile Data Opcodes              | 7-97  |       |
| Modified Transform Data Opcodes                  | 7-97  |       |
| Bit Image Compression Opcodes                    | 7-98  |       |
| Flatten Header Bytes                             | 7-98  |       |
| Style Object Omit Byte Constants and Data Types  |       | 7-99  |
| Dash Style Omit Byte Masks and Shifts            | 7-99  |       |
| Pattern Style Omit Byte Masks and Shifts         | 7-101 |       |
| Join Style Omit Byte Masks and Shifts            | 7-103 |       |
| Cap Style Omit Byte Masks and Shifts             | 7-104 |       |
| Text Face Style Omit Byte Masks and Shifts       | 7-105 |       |
| Face Layer Omit Byte Masks and Shifts            | 7-106 |       |
| Ink Object Omit Byte Constants and Data Types    |       | 7-108 |
| Colors Omit Byte Masks and Shifts                | 7-108 |       |
| Transfer Omit Byte Masks and Shifts              | 7-110 |       |
| Transfer Component Omit Byte Masks and Shifts    | 7-112 |       |
| Shape Object Omit Byte Constants and Data Types  |       | 7-115 |
| Path Shape Omit Byte Masks and Shifts            | 7-115 |       |
| Bitmap Shape Omit Byte Masks and Shifts          | 7-116 |       |
| Bit Image Omit Byte Masks and Shifts             | 7-120 |       |
| Text Shape Omit Byte Masks and Shifts            | 7-121 |       |

|   |       |
|---|-------|
| Glyph Shape Omit Byte Masks and Shifts          | 7-122 |
| Layout Shape Omit Byte Masks and Shifts         | 7-125 |
| Picture Shape Omit Byte Masks and Shifts        | 7-129 |
| QuickDraw GX Stream Format Summary              | 7-131 |
| Opcode Constants and Data Types                 | 7-131 |
| Style Object Omit Byte Constants and Data Types | 7-134 |
| Ink Object Omit Byte Constants and Data Types   | 7-137 |
| Shape Object Omit Byte Constants and Data Types | 7-139 |

## Chapter 8

## QuickDraw GX Mathematics 8-1

---

|  |      |
|--|------|
| About QuickDraw GX Mathematics                     | 8-5  |
| Number Formats                                     | 8-5  |
| Integer Formats                                    | 8-6  |
| Floating-Point Formats                             | 8-6  |
| Fixed-Point Formats                                | 8-6  |
| Working With Bias in Fixed-Point Operations        | 8-7  |
| Number-Conversion Macros                           | 8-8  |
| Mathematical Functions                             | 8-9  |
| Operations on Fixed, long, and fract Numbers       | 8-9  |
| Operations on wide Numbers                         | 8-10 |
| Vector Operations                                  | 8-10 |
| Cartesian and Polar Coordinate Conversion          | 8-10 |
| Random Number Generation                           | 8-11 |
| Roots of Linear and Quadratic Equations            | 8-12 |
| Bit Analysis                                       | 8-12 |
| Transformation Operations With Mappings            | 8-12 |
| Characteristics of a Mapping                       | 8-15 |
| Translation by a Relative Amount                   | 8-17 |
| Translation to a Specified Point                   | 8-18 |
| Scaling  | 8-20 |
| Rotation   | 8-22 |
| Skewing  | 8-24 |
| Perspective  | 8-26 |
| Using QuickDraw GX Mathematics                     | 8-26 |
| Converting Number Formats                          | 8-26 |
| Performing Fixed-Point Operations                  | 8-27 |
| Converting Between Cartesian and Polar Coordinates | 8-29 |
| Performing Vector Operations                       | 8-29 |
| Shifting the Bits of a wide Number                 | 8-31 |
| Determining the Highest Order Bit of a wide Number | 8-32 |
| Generating Random Numbers                          | 8-33 |
| Analyzing the Bits in a Number                     | 8-33 |
| Resetting a Mapping                                | 8-34 |



|  |      |
|--|------|
| QuickDraw GX Mathematics Reference               | 8-35 |
| Constants and Data Types                         | 8-35 |
| Number Formats and Constants                     | 8-35 |
| The Mapping Structure                            | 8-36 |
| Number-Conversion Macros                         | 8-36 |
| Format Conversions                               | 8-36 |
| Rounding, Truncating, and Square Root Operations | 8-41 |
| Mathematical Functions                           | 8-42 |
| Fixed-Point Operations                           | 8-42 |
| Operations on wide Numbers                       | 8-49 |
| Vector Operations                                | 8-54 |
| Cartesian and Polar Coordinate Point Conversions | 8-56 |
| Random Number Generation                         | 8-58 |
| Linear and Quadratic Roots                       | 8-60 |
| Bit Analysis                                     | 8-62 |
| Mapping Functions                                | 8-62 |
| Manipulating and Applying Mappings               | 8-63 |
| Modifying Mappings                               | 8-67 |
| Summary of QuickDraw GX Mathematics              | 8-73 |
| Constants and Data Types                         | 8-73 |
| Number-Conversion Macros                         | 8-74 |
| Mathematical Functions                           | 8-74 |
| Mapping Functions                                | 8-76 |

Glossary GL-1

---

Index IN-1

---

